PHOTO INTELLIGENCE MEMORANDUM

HANOI TO PING SIANG RAILROAD

GP/I-32

(Project 72.141)

October 1954

File Copy

(Copy 2 of 8)

CENTRAL INTELLIGENCE AGENCY Cffice of Research & Reports

Date Intelligence Property

MARGE TO PING STAND RATIROAD

(P/L-32 (Project 72.181)*

Declass Review NIMA/DoD

OFFICE OF RESERVED AND REPORTS

SECRET.

PANOT TO PING STANG PATEROAD

this memorandom with attached map is in answer to a request from ORE/S/OST for information concerning the reported imperational states of the Henol to Fing Stang relirond as determined from a study of the latest swallable serial photography. Hence to long Son is devered by small scale

United States Nevy photo coverage from Lang Son to Ping

Buils and ties have been removed and all bridges have been destroyed from W967328 (a bridge five miles north of Hanet) to Long Son. There are memorous cuts in the rail bed in this quotion. Little use is made of the rail bed other than for that or other light local traffic.

In the hilly region south of long Son for a distance of approximately thirty miles the rail line is tertaous and winding over a large part of this section. It appears that the rail bed is overgrown with vegetation and has suffered some degree of eresign and general deterioration.

The bridge at lang Sen has been repaired for foot traffic and light vehicular use. From a point two miles north of lang Son to Ping Siang the rail bed appears to be in good condition and in use as a road. There is indication of grading and repair work on the section from Dong Dong to Ping Siang.

-25X6 ~'25X1D


25X1D


She rail line from Hamming appears operational to Ping Stang. The presence of rail care or the condition of the marchalling yard at Ping Stang could not be determined due to the small scale of oblique photography.

25X1D

USAF Garonautical
Appreciate Operto 616 B III and 616 G II, 1/250,000.

ME Series RES Shout No. 49 (West), 38 (West),
38 (Rest), and 28 (West), 1/100,000.





ILLEGIB

Next 1 Page(s) In Document Exempt

15 September 1954

POSSIBLE AIRCRAFT LANDING SITES IN A SELECTED AREA OF U.S.S.R.

This report is submitted in answer to a request from D/GG to furnish a general description of aircraft landing site possibilities in a selected Escape and Evasion Area in the U.S.S.R.

This area is rather severely dissected by streams and their feeder tributaries. However, possible landing sites in this area include several level roads and a few level fields lying between the headwaters of the various tributaries.

The following criteria should govern the selection of a field for a possible landing site:

1.

25X1D

- 2. Land lengthwise along a cultivated field to minimize unevenness caused by plowing and drainage furrows.
- 3. Observe the prospective landing site for possible obstructions. There are a few fences and bush rows in this region.

The several roads and field roads in the area offer possible landing sites. There are several villages in the area and some houses are located along main roads and streams. However, there are several isolated stretches of roads where un-detected landings might be possible.

25X6

PHOTO ENTELLIGENCE NEMORANDUM

25X1A

GP/I-29
(Project 72.138).
21 September 1954
File Copy
(Copy 2 of 2)

CDLTRAL INTELLIGENCE AGENCY Office of Research & Reports

S-B-C-R-E-T

Photo Intelligence Memorandum

25X1A

@/L_29 (Project 72,138)

21 September 1954

CENTRAL INTELLIGENCE AGENCY Office of Research and Reports 25X1A

This memorandum is submitted in answer to a request from DD/P to furnish an elevation difference and a horizontal ground distance between two selected points imaged in three photographic negatives supplied by the requester.

In order to accomplish this, contact prints and glass plate dispositives were made from the negatives. The elevation meets stereophotogressetric plotter.

The enclosed annotated photograph indicates the two points under consideration as "J" and the point midray between "A" and "B".

25X1D

25X1D

25X1D

The elevation of the point midway between "A" and "B" has been mined to be meters. The elevation of point "J" has been mined to be matters. The elevation difference is determined to be determined to be meters. The ground distance between "J" and the point midray between points "A" and "B" has been determined as

The elevation of point "J" was determined by interpolation of the graph of the profile determined by the elevations furnished by the requester. This was necessary as insufficient ferward overlap between exposures was provided for the required seretriangulation.

25X1D

The elevation difference is believed to be quite reliable. The latest instrument available was used. However, excess tilt (7.06 grads), insufficient overlap of the photographs (less than 506) and the fact that the focal length/flying altitude relationships were questionable are possible esuses of error. In spite of these possible causes of error, the elevations of other ground points and the building heights furnished by the requester were sheeked and elevation, with those supplied. 25X1D

Approved For Release 2001/08/20 : CIA-RDP78T05439A000300130034-1 Next 1 Page(s) In Document Exempt PHOTO INTELLIGENCE MEMORANDUM

25X1A

GP/I-30

(Project 70.132)

20 September 1954

File Copy

SECRET

PHOTO INTELLIGENCE MEMORANDUM

25X1A

GP/I-30 (Project 70.132)

20 **September 1954**

Next 2 Page(s) In Document Exempt

25X1D

PHOTO INTELLIGENCE MEMORANDUM

25X1A

GP/I-28 (Project 72.135)

3 September 1954

File Copy

CENTRAL INTELLIGENCE AGENCY Office of Research and Reports

$S_E_C_R_E_T$

Photo Intelligence Memorandum

25X1A

GP/I-28 (Project 72.135)

3 September 1954

CENTRAL INTELLIGENCE AGENCY
Office of Research and Reports

S-E-C-R-E-T

25X1A

This project, requested by DD/P, consisted of the selection and annotation of 12 small land areas in a Satellite nation.

These sites were selected to meet specified operational requirements.

The requester supplied the photography. The photographs were studied and the selected sites and pertinent data were delineated directly on the photography, which was returned to the requester. No additional report was desired nor prepared.

S_E_C_E_T

Photo Intelligence Memorandum

PROJECT:

25X1A

OP/I-33 (Project 72.139)

29 October 1954

CENTRAL INTELLIGENCE AGENCY Office of Research and Reports

POSSIBLE AIRCRAFT LANDING SITES IN A SELECTED AREA OF U.S.S.R.

This memorandum is submitted in answer to a request from D/GG to furnish a general description of aircraft landing site possibilities in a selected Escape and Evasion Area in the U.S.S.R.

This area is predominantly farmland and offers many possible landing sites in the cultivated fields. However, the fields appear to be cultivated in alternate directions, so it would be better to land in one field only. Also, landings should be attempted lengthwise of the cultivation so that cross furrows will not present landing hazards.

There are a few fence rows or hedges separating the fields, and a few wooded areas might also present obstacles to landings. Telephone or power lines were observed only along major roads.

One major stream with numerous tributaries onts through this area. Landings could probably be made on the fairly level uplands between the tributaries.

Most of the houses in the area are concentrated in small villages but there are a few scattered houses along the major roads.

Field roads between the cultivated fields appear to offer excellent landing site possibilities.

25X6

Map Reference:

Anssian Series 1:100,000, ML-37, Sheets 17, 15, 29, 30.

25X1A

TECHNICAL INDEX FOR

STUDY

25X1A

This technical index was prepared at the request of D/GG to supplement the study "A List of References to Seviet Abstractic Literature." The index was prepared on the basis of translated titles in English. Subjects are listed alchabatically, followed by the page number of the original study and the item number on that particular rage.

ABURRA	TION - de	termination	by differential method when optical system is varied	ijlje
ABSOLU	TE ALTINE	TER - use in	aerial surveying	15-5
ACADEL	Y OF SCIE	HCE, USBR -	aerial surveying on volcanological expeditions	18-5
ACCURA	CY - aerla	al photograp	hy, test	34-3
#	- conte	our lines by	differential method (similar to Brock system)	19-1
•	- draw	ing apparatu	s de si jn	2-7
**	- mosa:	ics, problem	s	5-5
=	- obje	ot measureme	nt on derial photographs	53-4
11	- plane	e photogramm	etric networks, improvement	56-4
Ħ	, IMAG	E - influenc	e of deformation in photographic paper	5 5-1
ADJUST	Mar - re	ctifier in	25X1C	29-5
Ħ	, MUTI	WL - photog	raphy	23-4
ADVANC	edeat, pik	opogramie t ri	C - aerial surveys by comeras AFA-1. AFA-38	39-1
AERIAL	CAMERAS .	- see Calera	• AERIAL	
AERIU	FILM .	- see FILL,	AERIAL	
AERIAL	GEODSTIC	E.TABLISIE E	NT - activities in first half 1940	57-1
•	, #	te	- advancement	20-1
•	6	**	- accomplishment of 1940 plan	20-2
	•	π	- stereotopographic operations	53 - 7
*	•	F1	,SOUTHERN - accomplishment records	35 - 6
AERIAL	MAGNETIC	SURVEYS - e	xperiments in determining depth of ragnetic misses	30-5
•	et	n _ Y	arelo-Finnish, USUR	31-2
AERIAL	DETHOUS.	- laboratory		57-5
ABRIAL	n e gh t ivis	S - see NECT	mm constraints of the constraint	

AERIAL PHOTOGRAPHY - See PHOTOGRAPHY AERIAL	
ARRIAL PHOTOGRAPHIC GROUP - results of activity	17-3
ARRIAL PROTOGRAPHIC ORGANIZATION () - scientific research work	53-2
ABRIAL PHOTOGRAPHIC HECOMMAISSANCE - Observer, Pilot Hannal	19-4
ARRIAL SERVETING - See SURVEYING, ARRIAL	-, .
ARROGEODETIC INSTRUMENT PLANT	46-1
ARROLOGY - aerial surveying conditions	35-7
AFA-1 - serial camera, photogrammetric advancement by use in aerial surveying	39-1
AFA-35 - aerial camera, photogrammetric advancement by use in aerial surveying	
AGRICULTURE - serial surveying	39-1
	33-4
- assial surveying scientific research problems	43-6
AIDS - photogrammetry	48-5
AIR-1 - stereoscope	58- 3
AIRCRAFT - aerial surveying	47-1
- aerial surveying technical requirements	58-4
" - flight line lengths for serial surveying when instrumentally navigated	49-6
- location in 3-dimensions by use of vertical photos	21-5
• • • • • • • • • • •	22-1
" - photographic equipment	45-3
- visual surveying as aid in 1/1,000,000 map compilation	45-4
- signal lamp for aerial surveying	31-5
 - tilt determination by use of aerial photographs 	8.4
ALIGHMANT, FILM - glass pressure plate	34-1
	3/1.2

ALTIPETER - application by Moskovskoye Asrogeodicheskoye Predpreyative	39-7
ALTIMETER - plotting 3-dimensional photogrammetric net by use of statoscope	
· · · ·	25-6
ALT DESTER - results of examination and practical application	8-1
ALTIMETER, ABSOLUTE - aerial surveying use	15-5
ALTINETER, DIFFERENTIAL - evaluation of precision of readings by means of comparison with elements of reciprocal orientation of aerial photos	42-3
ALTITUDE - application by Moskovskoye Asrogeodicheskoye Predpregative	39-7
	27-1
 evaluation of precision of readings of differential altimeter by means of comparison with elements of reciptocal orients— tion of aerial photos 	42-3
- measurement by storecaster, assuracy of the rectification of	
erm searest brocochabin	47-7
 measurement of the difference, of photography when flying 	8-3
 rectification of serial negatives when differing for orientation points 	32-1
ALTITUDE CONTROL EXTENSION - and phototriangulation	9-2
ANACHIPH - stereoscopic study with polarised light	49-2
ANACHIPH, PHOTOGRANNETRIC - development of method of base plane of distances for determining required points for its construction	22-5
ANALYTICAL GRAPHIC METHOD - photogrammetric nets	_
	39-6
AMALYSIS - graphic devices for use with aerial photographs	30-1
ABCLE - distortion on unrectified aerial photo	27-1
ANGLE, CENTRAL - distortion in photograph	54-4
- distortion when located near principal point of photo	54-7
" , MEASUREMENT - direction of distortion on oblique serial photograph	37-7
- direction on oblique photograph	42-1
" - elements of interior orientation without their use	
A CHARLE AND	Kb_7

MCLE. WIDE - development in optics 25X1D	44-3
- orthogopic lens system of	***
ANGLE AND SCALE DISTORTION - indices for aerial photos	29- 8
ARCTIC - aerial surveying for hydrographic purposes	5-6
	15-2
empildo, " u u	52-3
organization 25X6	12-1
- photogrammetric instruments abound during flight of	13-2
AREAS - exiculation on serial photos	53-6
ARTILLERY - serial surveying problems in photogrammetric service	52-5
- aerial photography	40-2
- interpretation of aerial photographs	50-1
- phototheodolite	31-2
= planning and regulation of photogrammatric surveys	17-4
ATMOSPHERE - relation to optics and problems of aerial surveying	19-2
AUTOCOLLIMATION METHOD - determination of displacement of principal point of photograph when adjusting aerial cameras to.	38 <u>-</u> 4
AUTOFOCUS - copy camera	3-5
ANTOGRAPH - stereo	9-3
AVIATION COMMUNICATIONS - observer pilot manual	19-4
AXIS OF ROTATION - and problem of orientation of photographs	21-3
AZIMUTH- plotting device	30-2
AZIMITE stereoplotting of initial direction at zero point of stereo effect	16-6
AZIMITHAL PROJECTION - calculation and investigation of photogrammetric problems	22-4
AZHEFT AREA - aerial surveying and techniques of surveying operations	18-5

BASE, MAPPING (b'sin") - use of nomegram when increasing vertical control net by straight line method	145-7
BASIC FLANE OF DISTANCES - method	21-4
BASKIR - geological mapping in mountainous section	12-3
BATHO, FIXING - silver extraction in aerial surveying	16- 3
BIBLIOGRAPHY - geodesy, serial surveying, cartography, etc.	57-2
= _ guide on acrial surveying	45-2
BIOLOGY - acrial surveying in limnological investigations	40-4
BOMBING - observer milot manual	19-4
BOTARY - aerial surveying in compiling geobotanic maps	26-2
BROWO_COLLOTOAL HAULION - for reproduction	34-4
<u>©</u>	
CALCULATIONS - area size from aerial photograph	53 - 6
 ground points, determination by obtaining horizontal projections of distances on aerial photographs for aerial mountain surveys 	30-3 42-4
25X1D - shutter speed when aerial surveying conditions unfavorable	35- 3
CAMERA, AERIAL - photogrammetric advancement by use in aerial surveying	39-1
CAMERA, AFRIAL - autocollimation method of determining displacement of principal point of photo when adjusting to optical system 25X1D	38-4
- central shutter	49-7
= - glass pressure plate for film alignment	34-1

	CAPERA.	AERIAL	- influence quality	of straigh	ntening	glass and f	filter on image	1-3
	•		- instrument	:8				18-4
		•	-research as		r deve	l opment.		52-1
		•	- shutters a			-	•	48-6
	_	_		_	•	:		
		•	- shutter ve		.h unfa	vorable aer:	al surveying	35-3
	•		- technical	requiremen	nts for	large scale	mapping	58.4
		#	- "	n	11	medium "	•	58-4
	•		- "	n	н	lenses		58-4
				25X1D				55 -2
•	CAMERA,	COPY -	autofocus				•	3 -5
	CAPACIT	I - spe	ctral reflect	ions of na	tural	formations		26-2
	CARTOGR	APHY - 1	bibliography					57-2
	•		g eodetic oper Map USSR, sca			ing State To	pographic	13-1
	•		operations in using aerial		Provin	ces and poss	sibility of	28-6
	•	- :	rectification	of aeria]	L photo	s, optical t	theory '	7- 3
	•	- (stereoscopic-	-topographe	er (pho	otogrammetri	c topographer)	15-6
	CENTRAL	ANGLES	- distortion	n in aerial	L photo	g r aph s		54-4
			- distortion photograph		ated ne	ear principal	l point of aerial	54-5
	的	PROJEC	TION - aerial	L photo as	25X1E)		43-1
_	•	SHUTTE	R -		aeı	ial surveyi	ne	49-7
	CHARTS	- sketc	h ing from no	-rectified	i aeria	il photograph	ns	39-5
	CHART,	PHOTO -	compilation	method at	large	scales		39-2
	CHEMICA	L COMPO		ative matematematematematematematematematemate		and processi	ng conditions in	7-1

0

CIVIL AIR FLEET-TRAINING - training of aerial surveying engineers by Educational Section	41-2
CLOUDS - aerial surveying	36-1
= _ influence on illumination of earth's surface	19-3
COEFFICIENTS - color filters	32-5
COEFFICIENT - color filters, device for determining	48-7
COLLECTIVE FARMS (Kolkhoz) - use of photomaps	25-1
COLLEGE - State Photographic of Leningrad, testing of photographic papers in experimental laboratory	32-4
COLOR - characteristics of green	32-5
- stereo photography	18-2
COLOR FILE - problems in aerial application	1-4
COLOR FILTER - coefficient determination	32-5
# determining device	48-7
- gelatine	29-1
= testing of gelatine produced by Lanskoy	50-3
COLOR SEPARATION NEGATIVES - preparation without retouching for 3-color map reproduction	36-4
COMBAT, AIR - observer pilots manual	19-4
DESERT - significance of aerial photography	12-5
COMMITTEE - Main Geodetic, aerial surveying accomplishments	51-4
COMPUNICATIONS, AVIATION	19-4
COMMUNICATION (ROADS, RAILROADS, WATERWAYS) - aerial surveying use	4-6
COMPASS - use in aerial surveying	18-3
COMPILATION, MAPS - interpretation of aerial photographs, laboratory experiment	39-4
photomechanical methods used for State maps at scale of 1/1,000,000	49-5
- phototechniques for small scales	56 <u>-</u> 8

COMPILATION, MAPS - stereo methods at scale of 1/100,000	51-3
" - stereo method .	48-1
= = stereoscope use	<i>5</i> 7 - 3
e e _ n s	37-6
 topographic, reduction of geodetic control by use of aerial surveying 	24-4
 visual surveying as aid at scale of 1/1,000,000 	45-4
COMPILATION, GEOBOTANIC MAPS - aerial surveying material use	26-6
COMPILATION, PHOTO_CHART - methods for large scales	39-2
COMPOSITION. CHEMICAL - film. and processing conditions	7-1
CONFERENCE, TECHNICAL - aerial surveying	58-4
CONSTRUCTION - aerial surveying applications	4-6
# _ # in irrigation	18-7
= _ photogrammetric instruments	9 -5
 PHOTOGRAMMETRIC ANAGLYPH - determination of points by method of base plane distances 	22-5
CONTOURS - accuracy by differential method (Similar to Brock)	19-1
CONTOUR INTERVAL - 2 meters, stereo delineation at 1/10,000 scale	28-7
CONTOUR LINES - modern methods with aerial photographs to indicate relief	52-7
CONTRAST - increase by optics in aerial surveying	50-7
CONTROL - altitude control extension and phototriangulation	9-2
- decrease in density of network by use of stereometer	24-2
 - horizontal projection distances determined by use of aerial photographs for calculation of ground points for aerial mountain surveying 	30-3 42-4
 photographic traverses and simplified methods of aerial photographic processing 	9-6
 photogrammetric networks by analytical graphic method 	39-6
phototriangulation groups reduced under condition of an excessive number of fundamental points	23-5

CONTROL - spatial photogrammetric network development method acceptable to Novosebreskoye Aerogeodezicheskoye Predpreyatiye (GUGK)	17-2
• , GEODETIC - aerial surveying research problems	5 - 3
in compilation of topographic maps	24 <u>-</u> 4
density of network increased through use of oblique aerial photographs	43-2
" , HORIZONTAL - accuracy improvements in photogrammetric networks	56-4
- photogrammetric survey requirements	10-1
• WERTICAL - measurement of mapping base (b $\sin \theta$) by use of	
nomagram when increasing network by straight line method	45-7
COORDINATES - relationship of those on ground to those on photograph	29-7
COPY CAMPRA - autofocus	3- 5
CORRECTION DEVICE - improvement of displacement caused by relief in use of multiplex	22-6
CORRECTION AND RETOUCHING - negative	25-7
COST - dependance on region for relief surveying	6-6
COUPLING ORIENTATION - photographs in plotting rhombic nets of photo-triangulation	43-4
CURVATURE - horizon representation line on aerial photograph	8-2
CURVES, SENSITOMETRIC - influence heterogeneous sensitivity of emulsion grains on form	32-2

DATA - photo-mosaic investigation	51- 1
DAY ILLUMINATION - aerial surveying	46-6
DECENTRALIZED NEGATIVE - automatic solution for rectifier	e - 6
- cause of image distortion in rectification	<i>55-</i> 3
DEFORMATION - also see DIUTORTION	
DEFORMATION - photographic material	55- 5
" = " paper	35-1
" - " elimination	47-4
" - " , elimination when rectifying	2 9 - 3
" . influence on accuracy of image	. 55-1
- stereoscopic model	24-1
" . IRREGULAR - method elimination from film	1-5
DELINEATION, STEREOSCOPIC - relief at 1/10,000 scale, 2 meter contour interval	28-7
DENSITY - increase in geodetic control net by use of oblique aerial photographs	43-2
DENSITY, CONTROL NETWORK - decreasing by use of stereometer	24-2
DEPARTMENTAL LAND MAPPING - norial surveying materials utilized	37-1
DEPOSITS, QUATERHARY - experiments in Karelia on visual observations from the air	4-3
DERIVATION - basic formulas for distortion for aerial surveying	21-6
DESERT COMBAT - aerial photography significance	12-5
RECICES - mapping by aerial surveying and plane table at 1/200,000 scale	36-7
SAUD control cumulating to bridge conlocal throught anti-	4.3 2

DESIGN - accuracy in drawing apparatus design	2-7
" - photogrammetric instruments	11-6
DEVELOPING, PHOTOGRAPHIC - formulas for field and laboratory processing	34- 5
= - sulfate influence	16-4
DEVELOPMENT - aerial surveying	56-7
- photo topography	54-6
• • •	57-4
* - * *	55-4;
DEVICE - azimuth plotting	30-2
= determination of coefficient of color filter	48-7
DEVICES GRAPHIC - aerial photograph analysis	30-1
DIFFERENTIAL ALTIMETER - see ALTIMETER	
DIFFERENTIAL METHOD - aberration determination when optical system is Varied	44:6
. — complete photogrammetric techniques	56-6
- stereosurvey contour plotting, accuracy of method	19-1
DIRECTION, DISTORTION - determination for oblique aerial photograph	3 3-7
, INITIAL - stereoplotting at mero point of stereo effect	16-6
DISPERSION, PLANT LIFE - study with aerial photography	53 - 3
DISPLACEMENT DUE TO RELIEF - correction device for multiplex	22-6
, PRINCIPAL POINT - autocollination method for use when adjusting aerial cameras	.1D
Optical system	38-4
DISTANCE - horizontal projection by use of aerial photographs for cal- culation of ground points for aerial mountain surveys	30 - 3 42-4
" - method of basic plane	21-4
of photogrammetric anaglyph	22 - 5

_ . . _

DISTORTION - also see DEFORMATION

 - central angle located near principal point of photograph 	54-5
- central angle of photograph	54-4
- derivation of basic formulas for aerial surveying	21-6
- photographic materials	<i>55</i> - <i>5</i>
- stereo model	29-6
- Tessar-Zeiss lens system	1-1
, ANGULAR - unrectified aerial photographs	27-2
, DIRECTION - simple method of determination for oblique aerial photographs	33 -7
. IMAGE - due to decentralized negative in rectification	<i>55</i> - 3
LIGHT RAYS - stereo model plotting	43-3
PHOTOGRAMMETRIC - relation of principal point of aerial photograph to value of distortion	46-1
. SCALE AND ANGULAR - indices for aerial photographs	29- 8
DISTRIBUTION - lighting for mutual orientation	44-5
* . FLANT LIFE - study with aerial photography	53 -3
DOBROLET (AERIAL PHOTOGRAPHIC ORCANICATION) - scientific research work	53-2
DRAUTING APPARATUS - design accuracy	2-7
DRAWING INSTRUMENTS - stereoscopic	23-7
DRAWING (SKETCHES) - from unrectified aerial photographs	39-5
DROBISHEY - field rectifier	55-7
DROBYCKEV SYSTEM - examination of the stereoscope of the system	31-7
DRY EMULSIONS - production	36-5
DRY PHOTO-PLATES - laboratory production	34-7

EARTH'S SURFACE - cloud influence on illumination	19-3
ECOLOGY, PLANT - distribution and dispersion studies of plants by use of aerial photography	<i>5</i> 3 – 3
ECONOMY, FOREST - aerial surveying used in Kuzbass-Ugol region	45-6
" , NATIONAL - aerial surveying	40-6
EDITING - topographic maps and experiments in laboratory identification of aerial photographs	31-6
EDUCATION - text for training USSR Air Force photographers	4 3- 5
- training aerial surveying engineers of the Civil Air Fleet	41-2
ELEMENTS OF INTERIOR ORIENTATION - determination without angular measurement	54 -7
PHOTOGRAMMETRY	51- 8
ELEVATION CONTROL NETWORK - measurement of mapping base (b sin #) by use of nomagram when increasing net by straight line method	45 -7
EMULSIONS, ERONO_COLLOIDAL - application for reproduction	34-4
* DRY - production	36-5
• GRAINS - influence of heterogeneous sensitivity on form of sensitometric curve	32-2
ENGINEERS, AERIAL SURVEYING - training in Education Section of Civil Air Fleet	41-2
ENLARGING - stereoscope, D-4	10- 8
EQUIPMENT - photographic aircraft	45 - 3
- Rectifying Division 25X6	27-4
• GEODETIC AND PROTOTRANGUTRIC - Soviet types	23-6
Photogrametric -	13-2
ERRORS - mosaics	27-4
- nadir triangulation	54-1
- photographic paper deformation influence on accuracy of image	<i>55</i> - 1
🖷 🔑 podobnimo wiminom network:	22

ERRORS - Prototrian-pulation network	39-3
EVALUATION - precision of reading of differential altimeter by comparison with elements of reciprocal orientation of aerial photographs	42-3
 results of use of specifications for evaluation of flight lines in regional aerial surveying 	2 8-4
EXAMPLES - geological interpretation	35-5
EXPERIMENTS - aerial magnetic surveying as means of determining depth of magnetic masses	3 0-5
- aerial surveying for irrigation construction	18-7
 - compilation of the 1/500,000 map from aerial survey and departmental materials 	1-2
- evaluation of use of aerial surveying in forestry	3-1
- interpretation of aerial photographs during map compilation	39-4
 - laboratory interpretation of aerial photographs and editing topographic maps 	316
EXPERIMENTAL LABORATORY - testing of photographic papers at State Photographic College of Leningrad	32 - 4
EXPOSURE INTERVAL - aerial photography	46-5
- determination for aerial surveying	17-4
- shutter velocity calculations for aerial surveying when conditions are unfavorable	35 -3
EXTENSION - altitude control and phototriangulation	9-2
EXTERNAL ORIENTATION - determination of elements	20-5
EXTRACTION - silver from fixing boths need in serial supporting	76.2

FARMS, COLLECTIVE (KOL HOZ) - use of photomaps	25-1
FIELD - of aerial surveying at small scales	42-2
" , CEOLOGY - photogrammetric methods	54-2
" LABORATORY, MODEL - aerial surveying	- 5 5- 6
* ,MSTHODS - aerial surveying	47-2
" , HEW - for use of photogrammetry	35-4
PREPARATION - uncontrolled mosaics for use in compilation of 1/200,000 State Topographic Map	13-1
PROCESSING - developer formulas for photo raphic processing in field and laboratory	3 ⁴ + - 5
RECTIFIER - Drobyshev system	5 5- 7
FILM - alignment by pressure on glass	34-1
- alignment in camera by glas pressure plate	34-2
 application of bromo-colloidal emulsions for reproduction 	34-5
- chemical composition and processing conditions	7-1
- deformation in photographic mate ials	55-5
- developer formulas for field and laboratory processing	34-5
" - dry-emulsion production	3 6 - 5
 influence of heterogeneous sensitivity of emulsion grains on form of sensitometric curve 	3 2- 2
" - interpretation of photographic sensitivity	26- 3
- rectifying aerial negative when altitude of orientation points differ	32-1
" - retouching and correction	25-7
- sensitometry for aerial surveying	32-3
" - sensitometry of negative materials for aerial surveying	16.2

FILM - standardization in aerial surveying	35-2
* - sulfate influence in developing	154
* , AERIAL - elimination of irregular deformation	1-5
* . * - notes on material and processing for aerial photography	23-3
" , " - sensitivity increased by use of mercury	3446
" , COLOR - problems in aerial application	7
* . PANCHROWATIC - Soviet manufacturing	1;-5
FILTERS - coefficient deterination	32- 5
" - device for coefficient determination	43 -7
" - gelatine for	2)-1
- influence on image quality	1-3
* - testing gelatine produced by Lanskoy	50- 3
FINSTERMALDER METHOD - simultaneous orientation of vertical photographs	21-2
FIVE-YEAR PLAN - aerial surveying in connection with industrialization	36- 3
FIXING BATH - extraction of silver	15-3
FLIGHT LINE - lenth for aerial surveys when aircraft is instrumentally navigated	5-4; 49 - 6
* LINES - results of specification for evaluation of flight lines in regional aerial surveying	20-4
 - joint development of rhombiform triangulation on 2 or 3 lines 	25 - 5
* PLANKING - computations for serial surveying operations	27_0
" - time schedule for serial surveying	5 - 5
FOCUS, AUTOMATIC - copy camera	3-5
FORESTRY - aerial surveying	2-6
" - " in timber rafting	40-1
— п и	3 7-5

FOR TRY - evaluation of experiments in use of aerial surveying	3-1
- interpretation of aerial photographs	45-5
- photomaterial selection for aerial surveying	46-1
" ECONOMI - aerial surveying in Kuzbass-Ugol	45-6
FORMATIONS, NATURAL - spectral reflection capacity	26-2
PORMULAS, BASIC - derivation for distortions in aerial surveying	21-6
DEVELOPER - field and laboratory photographic processing	34-5
FRESH_MATER - limmological investigations by use of aerial surveying	40-2
FUTURE DEVELOPMENTS - photographic work	54-6
<u>G</u>	
GELATINE - color filters , testing for use in color filters	29-1
GEOBOTANIC MAPS - problem of application of aerial surveying material to compilation	50 - 3
GEODESY - accomplishments of the 1940 plan of the Aerial Geodetic Establishment of Moscow	20-2
= advancement of the Aerial Geodetic Establishment of Moscow	20-1
- aerial surveying accomplished by Main Geodetic Committee	51-4
- aerial surveying applications	37-2
* - aerogeodetic instrument plant	46-1
- bibliography	57-2
 cartographic and geodetic operations in compiling USSR State Topographic Pap at scale 1/200,000 	13-1
- decreasing control net by use of stercometer	24-2
* - Northwestern Aerial Geodetic Establishment	33-1
- oblique aerial photographs used to increase density of control network	43-2
 photogrammetric operations in Novosibirsk Aerial Geodetic Establishment 	23-2

23-2

GEODEST	· -	photogr	rappetric	surveying ideas	12-4				
я	-	product	tion possi	bilities of required photographic lenses	51-6				
	-	- reduction of required control for compiling topographic maps by use of aerial surveying							
• .	-	researc	ch problem	s in serial surveying with regard to control	5- 3				
22	_	- Soviet photogrammetric and geodetic equipment							
•	_	standar	ds		59-1				
GEOGRAI	HY	- aeria	il photogra	aphs and stereoscope use	25-4				
n		- aeria	l surveyi	ng	20-3				
G EOLOG	r _	aerial	magnetic:	surveys in determining depth of magnetic masses	30-5				
•	_	#	п	" Karelo-Finnish USSR	31-1				
•	-	aerial	surveying	and problem of prospecting at sea	7-4				
**		Azneft	a re a	surveying techniques in prospecting	18-6				
•	-	aerial	surveying	apolication	17-1				
'a	-	1	*	in complex investigation in Turkemenia	14-4				
. •	-	*	и	in mountainous section of Bashkir	12-3				
	-	Ħ	н	materials in compiling geobotanic maps	26- 6				
•	_	Ħ	н	prospecting	41-1				
#	-	76	rs .	for peat deposits	38-1				
¥	-	•	n	to explain nature of extensive swampy areas	13-3				
	-	interpr	etation e	xamples	3 5- 5				
*	_	ph otogr	ametry		48-3				
	_	prospec	ting stand	dards handbook	58-2				
•	-		m between in soil m	soil and relief and the use of aerial sur-	38 -3				
•	-	spectra	l refle cti	ion capacity of natural formations	26- 2				
	_	Viens!	observatio	on from the of quatormore deposits to Familia	·, 2				

GROLOCY AND CHONORS A DOM	
GEOLOGY AND GEOMORPHOLOGY - derial photography in investigation of Golodhnya Steppe in Kazakhstan	46-3
 HYDRO - serial surveying in sand desert investigations 	41-3
GEOLOGICAL PHOTOGRALLETRY - field methods	54-2
GEOLOGICAL SERVICE - problems of use of terrestrial photogrammetry	52-4
GEOMORPHOLOGY - aerial surveying in connection with investigation of Tayra Belt, Central Siberia	36-5
- investigations in use of serial surveying materials	41-4
* AND GEOLOGY - aerial photography in investigations of the Golodnnya Steppe in Kazakhstan	46_3
GOLODNHIA STEPPE, KAZAKHSTAN - aerial photography in gelogical and geomorphological investigations of the area	
	115. 7
	46-3 13-2
GRAINS, EMULCION - form of sensitometric curve as a result of hetero- geneous sensitivity	46-3 13-2 32-2
GRAINS, EMBLOION - form of sensitometric curve as a result of hetero- geneous sensitivity GRAPHIC DEVICES - analysis of aerial photographs	13-2
GRAPHIC DEVICES - analysis of serial photographs	13-2 32-2 30-1
GRAPHIC DEVICES - analysis of aerial photographs GRAPHIC METHOD - photographetric elaboration of aerial surveying course	13-2 32-2 30-1 11-2
GRAPHIC DEVICES - analysis of serial photographs	13-2 32-2 30-1 11-2 39-6
GRAPHIC DEVICES - analysis of aerial photographs GRAPHIC METHOD - photogrammetric elaboration of aerial surveying course ,AMALITICAL - construction of planned photogrammetric nets	13-2 32-2 30-1 11-2

HANDBOOK - geological prospecting standards	58-2
HISTORY - development of phototopography	57-1
HORIZON - curvature of representation line on aerial photograph	82
HORIZONTAL PHOTOGRAMMETRIC RETS - accuracy improvement	56-
PROJECTION - determination for distance on aerial photograph for calculation of ground points for use in aerial mountain surveying	30-3 42-4
SURFACE - role of clear sky in spectral illumination	50-8
HYDRO-GEOLOGY - aerial surveying in sand desert investigations	41-3
HYDROCRAPHY - application of aerial surveying in the Artic	15-2
- problems in use of aerial surveying in the Artic	56
HYDROLOGY - interpretation of aerial photographs for special purposes	40-5
I .	
ILLUMINATION, DAY - aerial surveying	46-6
, EARTH'S SUMFACE - influence of clouds	19-3
. SPECTRAL - role of clear sky for horizontal surfaces	50-8
IMAGE - distortion resulting from decentralization of negative in rectifying	55- 3
-influence of photographic paper distortion on accuracy	55 -1
- in a proposition of the control of accuracy	
" - " on quality of straightening glass and filter in the serial camera	1-3
" - " on quality of straightening glass and filter in the	
- " on quality of straightening glass and filter in the aerial camera	1-3

INDUSTRY, OIL - use of aerial surveying	11-7
PEAT = W W M	52-2
INDUSTRIALIZATION - aerial surveying in connection with the five-year plan	36-3
•	
INITIAL DIRECTIONS - stereo plotting at zero point of stereoscopic effect	16-6
INITIAL POINTS, TOPOGRAPHIC - for phototrian ulation	47-5
INSTRUMENTAL NAVIGATION - lenth of flight lines for aerial surveying	5-4 46-6
INSTRUCTIONS - relief portrayal and photoplan interpretation for aerial survey	19-5
INSTRUMENTS - and aerial cameras	18-4
- azimuth plotting	30-2
- color filter coefficient determination	48-7
-control network decreased by use of stereometer	2½-2
- correction device for displacement due to relief for multi- plex	22-6
- modern camera and research as to future developments	52-1
- mutual compling orientation of planes of rectifier by electrical device	32-6
perspectograph of Aleksapol'skiy	14-3
- phototheodite in artillery service	31-2
- rectifier	9 -7
25X6	9-8
	27- 5
adjustment	29-5
u _ w .SEG-4	10-6
<pre>- Sectifying Division equipment</pre>	27-4
" - ruler for reduction of phototriangulation	12-5
- signal lamp for aerial surveying aircraft	31-5

DISTRUMENT	S - stereoauto; raph	9- 3
*	- stereometer	10-4
	- storeometer, accuracy of rectifying aerial photographs for measuring altitudes	47 -7
	- stereoucope, ARM-1	58 - 3
ti	- " , D.4, with onlargement	10- 8
- H	- " examination in Drobyshev system	31-7
H .	- " , extension type for transferring relief	3 -2
•	- " , in map compilation	37-6
•	- * topographic	36-2
**	- " (TSD-2) and its application	10-5
•	- with aerial photographs in geographic investigations	25 <u>-</u> 4
•	- stereoscopic influence of mirrors on accuracy of photo- grammetric measurements	3-4
•	- theodolite use in combined air-photo topographic surveys	4-1
•	- theory of stereometric devices	10-7
n	AERIAL SURVEYING AND PHOTOGRAMMETRIC - construction in USSR	11-1
**	. GEODETIC AND PHOTOGRAMMETRIC - notes on Soviet equipment	23-6
#	, Photographtric =	13-2
9	- design 25X6	11-6
	- construction in TsNIIGAIR	9 - 5
Instrument	PRODUCTION - dependant on widespread use of theodolite surveying	9-1
•	, STEREOPHOTOMETRIC - new type	10- 9
	, STERROSCOPIC - measuring marks	15-7
•	. STEREOSCOPIC - drawing	23-7
•	WIDE STRIP (NITA) - perspective rectifier for use with	102-6

INTERFERENCE	- on intersect	ions of	bundles	of lig	ht rays		44-]
INTERIOR ORI	EMTATION - dete ment		on of ele	ments	without angul	ar measure-	54-7
INTERPRETATI	OK - aerial pho	tograph	y.				50-4
	- •		, experi	ments	during map co	mpilation	بسوو
	_ R		for arti	llery	use		50-1
*	- *		for spec	ial hy	drological pu	irposes	40-5
•	- " 1/100,000	•	laborato	ರ್ಥexco	eriment at so	ale of	2-4
•	- aerial pho	tograph	, proble	n of t	heory		14-5
÷.	- *	*	•	•	•		14-6
•		W	•	•			15-1
	of topograp	n phic map	, labora	tory e	xperiments an	d editing	31-6
•	- forests from	om a eri a	al photogr	e oppa			45-5
	- geological	example	2 5			• .	3 5- 5
	- photographi	ic sensi	itivity				26-3
	- photoplans and 1/500.	for aeri 000	lal surve	ring a	t scales of 1	/25,000	19 - 5
INTERSECTION	- perspective :	stereome	etric met	od			11-4
INTERVAL, CON	TOUR - stereo	delin e at	tion for 2	metei	rs at scale l	/10,000	28-7
• , exi	POSURE - aerial	surveyi	ing				45-6
INVESTIGATION	- aerial surve	sying ma	terials i	or so	lls studies		48-4
•	- data on phot	to mosai	lce				51-1
#	- hydrogeologi	ical in	sand dese	rt wit	th aerial sur	veying	42-3
я.	- geological a Golodnnya St	ind geor eppe of	prpholoji Kazakhst	.cal ac	erial methods	of	46 - 3
	- geomorpholo	ical wi	th aid of	aeria	l surveying	materials	41-4
π	- nadir trian;	ulation	errors				54.7

INVESTIGATION - spectrophotometric for improving results of aerial pt graphy and reconnaissance	ioto- 33 - 2
IRRIGATION - aerial surveying in construction	18 - 7
<u>k</u>	
KARELIA - visual observation of quaternary deposits	
"	4-3
KARELO_FINNISH USSR - aerial magnetic surveying	31-1
KAZAKHSTAN - aerial photography in geological and geomorphological investigations of Golodnnya Steppe	46-3
- KEONAR 2 - wide angle orthoscopic lens	3-3
KOLKHOZ (COLLECTIVE FARM) - photoraps	25-1
KUZBASS-UGOL - aerial surveying in forest economy	45-6
	47 -0
LABORATORY - aerial methods	57-5
- aerial photograph interpretation during map compilation	3 <u>9</u> -4
- dry photo plate production	34-7
- experiment in interpretation of aerial photographs at sc of 1/100,000	:a le 2-4
 photographic paper testing at State Photographic College of Leningrad 	32-4
" , FIELD - aerial surveying	55-6
• PHOTOGRAPHIC - developer formulas for field and laborato use	ry 34 – 5
LAKES, FRESH WATER - aerial surveying in limnological investigations	40-4
LAMP. SIGNAL - for acrial surveying aircraft	31-5
LAND CONTROL - use of aerial surveying	1. 6

IAND MAPPING - aerial surveying materials used for department	tal purposes 37-1
LATVIA - photogrammetric operations	35-6
LEWINGRAD MINICIPAL MADERITHED DIVISION - aerial surveying	49-1
LENINGRAD, STATE PHOTOGRAPHIC COLLEGE - laboratory testing of papers	f photographic 32-4
LENS - also see OPTICS	
- distortion in Tessar-Zeisssystem	1-1
" - optical increase of contrast in aerial surveying	50-7
- production for geodetic work	51-6
- technical requirements for rectifiers	53-4
a _ a a a a survey cameras	50 4 ;
25X1D - wide angle orthoscopic system	³ 3 - 3
autocollimation method for determining disprincipal point when adjust aerial cameras optical system	to this
<pre>" = use of objective in combined aerial and to surveying</pre>	errestrial 26-4
* , * *ride ongle objective	4-2
a n m _ n m orthoscopic system	111-11
LEVEL - control for photo ranmetric surveys	10-1
LENS - autocollimation method for determining displa principal point when adjusting aerial cameras system	cement of to this
<pre>" " - use of objective in combined aerial and terre surve; in:</pre>	strial 26-4
w w = - wide an le orthoscopic system	141:-14
lIGHT - day illumination in aerial surveying	46-6
- determination of color filter coefficient	32-5
w Atatashirtan for mitual orientation	<i>1</i> 145

LIGHT - exposure interval in serial photo raphy	45-5
- gelatine color filters	29-1
- green, color characteristics	50- 6
" - influence of clouds on illumination of earth's surface	19-0
- interference of rays on intersection	44-1
- interpretation of photographic sensitivity	26- 3
- plotting stored model when rays are distorted	43- 3
- refraction and 3-dimensional photogrammetric resection	22-2
- role of clear sky in spectral illumination of horizontal surfaces	50-8
" - shutter velocity when aerial surveying conditions unfavorable	35 -3
" - spectral reflection capacity of natural formations	26-2
" , POEARIAED - stereoscopic observation with anaglyph	49-2
LIMNOLOGICAL INVESTIGATIONS - use of aerial surveying	40-4
LOCATION, A/C - 3-dimensional by use of vertical photographs	21-5
25X6 ** - " " " " " "	22-1
- photorectifier	27-5
- rectifier adjustment	29-5

_ / _

MAGNETIC MASSES - depth determination by aerial magnetic surv	7eys 30 - 5
MAGNETIC SURVEYS, AERIAL - determination of depth of magnetic	masses 30-5
- Karelo-Finnish USSR	31-1
MANUAL - general photogrammetry	56-5
 pilot observer on air combat, bombing, communication aerial photographic reconnaissance 	ns, and
MANUFACTURING - panchromatic film in USSR	4-5
MAP COMPILATION - Cartographic and geodetic operations for St graphic Pap 1/200,000	tate Topo- 13-1
- experimental use of air survey and departmental at scale of 1/500,000	ental 1-2
 field preparation of uncontrolled mosaics f Topographic Map scale 1/200,000 	for State . 13-1
" - laboratory experiment on interpretation of photographs	a erial 394
- method for large scale photo-charts	39-2
- photomechanical methods for State Map at sc 1/1,000,000	ale of 49 - 5
- phototechniques as aid with small scales	56-8
" - stereoscope use	37-6
- stereo operations at scale of 1/100,000	51-3
<pre>stereoscopic methods</pre>	48 -1
M G _ H H	<i>5</i> 7 - 3
- visual surveying as aid at scale of 1/1,000	.000 45-4
MAPPING - also see SURVEYING, AFRIAL	
- aerial surveys	11-3
- aerial and plane table surveying at 1/50,000 scale	37 - 3
- desert regions by aerial and plane table surveying : 1/200,000 scale	at · 36_7

MAPPING - sketches from unrectified aerial photographs	39-5
 status of cartographic operations in Maritime Territories and possiblities of utilizin; aerial surveying 	28–6
- * , BASE (b $\sin \mathscr{V}$) - measurement by nomogram when increasing vertical control net by straight line meth	od 45 -7
" GEOBOTANIC - application of aerial surveying materials in compilation	26-6
. LAND - acrial surveying materials for departmental use	37-1
. LARGE SCALE - technical requirements for aerial camera	58-4
" , MEDIUM _ " a " " " "	58-4
RECORNAISSANCE - aerial photographs for use in preparation as scale 1/50,000	t 17 - 6
* , SOIL - aerial surveying use	15-3
" , " - " " and relation between soil and re	lief 38-3
, TOPOGRAPHIC - accuracy of contours obtained by differential method (similar to Brock)	19-1
editing and experiments with laboratory interpretation of aerial photographs	~e- 31-6
- reduction in geodetic control for compilation was of aerial surveying	y 24-4
" , URBAN AREAS - aerial surveying	48-5
MAP. PHOTO - also see MOSAIC	
MAP, PHOTO - Kolkhoz (collective farm)	25-1
, " - stereoscopic	38-2
MAP REPRODUCTION - color separation negatives for 3 color reproduction with retouching	36-4
MARITIME TERRITORIES - cartographic operations and possibilities of use of aerial surveying	28-6
MARKS, MEASURING - of stereoscopic instruments	15 -7
MASS, MAGNETIC - depth determination b aerial magnetic surveys	30-5
MATE IALS. AURIAL PHOTOGRAPHIC - deformation	

MATURIALS, AURIAU PHOTOGRAPHIC - notes on material and processing	2 3 - 6
- selection for forestry aerial surveying	46-4
* , AERIAL DURVEYING - minimum useage	25- 3
- storage of original materials	12-2
- use in departmental land rapping	37-1
" , " " - " geobotanic map compilation	26-6
" " geomorphological investigations	41-4
" " " " topographic operations	59-1
MEASUREMENT - range and accuracy on aerial photographs	53-4
- simple method for aerial photographs	24-6
* ANGULAR - elements of interior orientation without their use	54 -7
* PHOTOGRAPHITRIC - influence of mirrors on accuracy	3-4
• PHOTOSPECTRAL - for improvement of results of aerial photo- graphy and recommaissance	3 3-2
• STEREOSCOPIC - parallax for simultaneous orientation of two vertical photographs	20-4
MEASURING MARKS - for stereoscopic instruments	15-7
MECHANICAL, PHOTO - compilation of State Map, scale 1/1,000,000	49-5
MERCURY - used for increasing serial film sensitivity	34-6
METALLIC PHOTO-SHEETS - reproduction	49-4
METHOD, DIFFERENTIAL - complete photogrammetric techniques	56-6
METHODS, AFRIAL - laboratory for study	57- 5
MILITARY - photo theodolite in artillery service	31-2
 significance of aerial photography in desert combat 	12-5
- aerial photography for use by artillery	40-2
* TOPOGRAPHIC ADMINISTRATION - gerial surveying	2-5
	18-5
= exhibition of work	57- 3

MILITARY TOPOURAPHIC DIVICION, NOU.HORN - rectification of aerial photographs	16-5
* 6CHOOL - aerial surveying	33 -3
MIRRORS - influence on precision of photogrammetric measurements	3-4
MODEL FIELD LABORATORY - for aerial surveying	55-6
MODEL (MINATURE) OF PROVING CROUND - aerial survey of	6-7
MODEL, STEREOSCOPIC - deformation	24-1
* • • • • • • • • • • • • • • • • • • •	29-6
- plotting when light rays distorted	43 <u>-</u> 3
HOSA ICS	28-5
" - data on investigation	51- 1
- errors	27- 9
- Kolkhoz (collective farms)	25-1
" - method of compilation for Large scale charts	39-2
" - optics in reproduction	29-2
- problem of accuracy	- 6-5
- rectification of photographs	29-4
• - stereoscopic	38-2
" , UNCONTROLLED - preparation for compilation of USSR State Topographic Map at 1/200,000	13-1
MOUNTAIN SURVEYS, AERIAL - determination of horizontal projection distance on aerial photographs for calculating ground points	30-3 42-4
MOUNTAINOUS REGIONS - topographic stereometer operations with aerial photographs	24-5
MULTICOLOR REPRODUCTION - color separation negatives without retouching	36-4
MUNICIPAL ENGINEERING DIVIDION, LENINGRAD - aerial surveying	49-1
MULTIPLEX - correction device for improvement of displacement caused by relief	22-6
- test of apolication	51-2

distributed of elements for vertical photographs	30-
-flight distribution	إسطان
X	
MADIR POINT - triangulation on aerial photography	10-2
* TRIANGULATION - error investigation	54-1
NATIONAL BCONOMY - use of serial surveying	40-6
NATURAL FORMATIONS - spectral reflection capacity	26-2
RESOURCES - investigation by use of aerial surveying	14-7
NAVIGATION. INSTRUMENTAL - length of light line when used for aerial surveying	5-4
- length of light line when used for aerial surveying	49 - 6
. SOLAR - application to aerial surveying	31-4
NEGATIVES - also see FILM	
MEGATIVES - bromo-colloidal emulsions for reproduction	344
" - deformation in photographic materials	55 -5
a - distortion resulting from decentralization in rectification	55-3
- dry erulsion production	36-5
- dry photographic plate production in laboratory	34-7
- influence of heterogeneous sensitivity of emulsion grains on form of sensitometric curve	32-2
- interpretation of photographic sensitivity	26-3
- retouching and correction	25-7
- sensitometry in aerial surveying	15-2
The state of the s	32-3
- standardization in aerial surveying	25-2

NEGATIVES, AERIAL - rectification when altitude of orientation points differ	32-1
<pre>* , * - use of mercury for increasing sensitivity</pre>	34-6
* , COLOR SEPARATION - for 3-color map reproduction without retouching	36-4
NETWORK, CONTROL - decreasing density on stereometer	24-2
* , GEODETIC CONTECT: - use of oblique aerial photographs to increase density	43-2
. HORIZONTAL THOTOGRAMMETRIC - accuracy improvement	56-4
* , PHOTOERANDETRIC - by analytical graphic method	39-6
* , PHOTOTRIANGUL TION - errors	28-2 39-3
necessity	28-2 29-3
- reduction in groups (triangles or polygons) under condition of excessive number of fundamental points	23– 5
• RHOMBIC FHOTOTRIAGOULATION - coupling orientation of photographs when plotting	43 -4
SPATIAL PHOTOGRUMFOTRIC - method of development accepted by Novosibuskoye Aerogeodezicheskoye Predpreyatiye (GUGK)	17-2
• VERTICAL CONTROL - measuring map base (b sin \(\mathcal{P} \)) by use of nomagram when increasing by straight line method	45 -7
NIGHT AERIAL SURVEYING	47-3
NIIR, WIDE STRIP HASTRUMNUT - perspective rectifier for use with instrument	41-6
NOMAGRAN - and other mids in photogrammetry	48-5
- use in measurement of mapping base (b sin \(\mathcal{Y} \)) when increasing vertical control net by straight line method \(\cdot\)	45-7
NORTH SEA - method of photo reservice surveying of a swell and test of application	37-4
NORTHWESTER: AMPIAL GEODATIC ESTABLICATION - stereotopographic operations	56-1
NATIONAL CORP. STATE CONTROL CONTROL AND CONTROL AND CONTROL CONTROL AND CONTROL CONTR	25-2

operations

23-2

44-1

NOVOSIB	irsko y e	AEROGEODEZ	ZICHESKOYE PREDPREYATIYE (GUOK) - accepted method of development of spatial photogrammetric nets	17-2
			<u>Q</u>	
		25X1D		
CBJECTI	ve lens	-	wide angle	4-2
*	Ħ	- " " ₁	in combined serial and terrestrial surveying	بالــ26
OBILIQUE	AERIAL	. PHOTOGRAP	HY - Arctic aerial surveying	52-3
•	*	SF .	- determination of directions	42-1
•	ч	n	- simple method of determining distortion of direction	33-7
**	*	Ħ.	- used to increase density of geodetic control net	43-2
OCEANO(BRAPHY -	study and	application in North Sea of photogrammetric of swells	37-4
OIL IN	ustri -	aerial su	rveying	11-7
OPERAT:		rial surve	ying and photogrammetry in various establish-	24-3
OPERAT:	ONAL D	ev slopksm t	- aerial surveying	56-7
OPERAT	CONS, A	ERIAL SURVE	EYTHG - computations for plan	27-8
OPTICS	- atmos	sphere and	problems of aerial surveying	19-2
•	- devel	lopment in	aerial surveying	₩ <u>-</u> 7
•		erential me aried	ethod for determining aberrations when system	<u> 1:1:6</u>
	- d is t	ribution of	f light for mutual orientation	وسلنا
*	- incr	easing cont	trast for aerial surveying	50-7

NOVOSIBIRSK ABRIAL GRODETIC ESTABLISHMENT - results of photogrammetric

" - interference of light rays on intersection

25X1D	
-------	--

	oprica	objective to combine aserial and terrestrial surveying	26-5
		- mosaic reproduction	29-2
	•	- possible lens production for geodetic work	51-6
	•	- rectification of aerial photographe for cartographic use	7- 3
	=	- refraction and 3-dimension photogrammetric resection	22-2
T.	· m	- wide ancle lens development 25X1D	44-2
	**	- wide angle orthoscopic lons system	ولسولها
	ORGANI	ZATION - acrial surveying	51-7
	Ħ	= " and photogrammetry in verious establishments	24-3
25X1A	*	- problems of aerial surveying in Arctic	12-1
23/1/	n	, AERIAL PHOROURAPHIC () - scientific research	53-2
	ORIENT	ATION - single, immovable axis of rotation and problem of orienta- tion of photographs	21-3
	4	, COUPLING - plotting of rhombic nets of phototriangulation by use of photographs	43-4
		, EXTERNAL - determination of elements	20-5
	Ħ	, INTERIOR - determination of elements without use of angular measurements	55- 7
:	19	, MUTUAL - determination of elements from vertical photographs	30-4
,	n	, " - light distribution	44-5
	, u	, " - adju tment of thoto riphic groups	23-4
	**	POINTS - rectifying cerial negatives when altitude various	32-1
	Ħ	, RECIPROCAL - elements of acrial photographs for comparison with differential altimeter readings for evaluation of precision	42-3
	п	of acrial photographs	56- 3
	п	, SIMULTANDOUS - investigations for vertical photographs	21-1
	n	" worting? what a wanks by Almeton milder mathed	מיני

on the parallax	E 20-4
OVERLY - standards for a crial surveying	5 5- 6
<u>P</u>	
PANCEDOMANTO AUDIAL BILM O	
PANCHROMATIC AURIAL FILM - Soviet manufacture	4-5
PAPER, PHOTOGRAPHIC - distortion	35-1
PAPER, PHOTOGRAPHIC - distortion and method of elimination	47-4
, influence on accuracy of image	55 -1
of photographic materials	<i>55-</i> 5
" - elimination of distortion when rectifying	29-3
* - standardization in aerial surveying	35-2
- testing in experimental laboratory of State Photographic College of Leningrad	32-4
PARALLAX - stereoscopic measurement for simultaneous orientation of two vertical photographs	ن ــ20
PEAT - location by use of serial surveying	38-1
PEAT INDUSTRY - aerial surveying	52-2
PERSPECTIVE - stereometric intersection 25X1D	11-4
PERSPECTIVE RECTIFIER - use with wide-strip instrument	41-6
PERSPECTOGRAPH - of Aleksapol'skiy	14-3
PHOTO RAPPETRY - also see	±4)
PHOTOGRAMMOTRY ILLEGIB	5 2.7
PHOTOCRECORTRY =	<i>5</i> 3 -1
	47-7
	39-1

	· · · · · · · · · · · · · · · · · · ·	
PHOTOGRAMMETRY	- acrial photograph as central projection	43-1
a	- area calculation from aerial photographs	50-6
•	- azimuthal projection in calculations and investigations of problems	22-4
Ħ	- control not decreased by use of stereometer	24-2
∞ ⊹ g	- " developed by analytical graphic method	39-6
•	- derivation of basic for mlas for distortions for aerial surveying	21-6
a	- determination of elements of mutual orientation for vertical photographs	30-4
ត	- determination of morizontal projection distances with aerial photographs for malculating ground points for aerial mountain surveys	30- 3
ਸ	- differential methods, complete techniques	56-6
	- direction determination on oblique photographs	1:2-1
•	- distortion in stereoscopic model	24-1
Ħ	B u B w	29-5
н .	- of central angles on plotographs	54-4
•	point of photo raph	54-5
a	- distortion of photographic materials	55-5
## .	- elaboration of surveying traverse by raphical method	11-2
*	- elements	51- 3
25X6	of interior orientation without use of angular reasurements	54 - 7
	equipment abound the during Arctic trip	13-2
* -	- errors in juntatriangulation metwork	28-2
• -	- field geology nethods	54-2
я	- future	_

ILLEGIB

0

elotornikur i	- meneralization of 3-dimensional and plane triangulation	47-5
u	- geological use	1:0 -3
И	- graphic devices for analysis of aerial photographs	30-1
á	- history of phototographic development	57-1
Ħ	- horizontal control for surveys	10-1
×	- network improvement	55-4
w	- idea on photogrammetrid surveying	12-
•	- image distortion when negative decentralized in recti- fying	5 5- 3
#	- influence of mirrors on accuracy of measurements	3-4
* .	_ " relief on vertical representation on photo-graph	27-7
	- incomments and design	11-6
п	- construction	· 9 -5
	_ n un u	11-1
•	_ ' new	10-9
α	- joint development of rhombiform triangulation on 2 or 3 contact Might lines	25 - 5
•	- Latvian operations	36 -6
#	- location of aircraft in 3- dimensions by use of aerial photographs	21-5 22-1
. u	- measurement of mapping base (b $\sin \theta$) by use of nomegram when increasing vertical control net by straight line method	45-7
Ħ	- manual	5 6-5
	- memon of base plane of distances	21-4
8	_ н н н ч н to construct anaglyph	22-5
n	- method of development of spatial nets, accepted by Dovosivickoye Aeromeodozicheskoye Predpreyatiye (GUGK)	17-2
a	= mattered of measurement on serial photographs	24-6

Photo.Ramberry	- method of surveying swells and test of application in North Sea	37-4
н	- multiplex test of application	51-2
ts	- rutual adjustment of photographical groups	23-4
9	- nadir triangulation and its application	7.0-3
, n	, investigation of errors	54-1
п	_ w on sorial photo regis	10-2
я	- new field	35-4
19	- nomagrams and other aids	48-5
u	- notes on doviet type equipment	23-6
Ħ	- operations in Novsibirsk Aerial Geodetic Establishment	23-2
•	- organization and operation in various establishments	24-3
च	- photographic paper distortion, influence on accuracy of image	55 - 1
	- photo raphic traverses and simplified method of processing aerial photo raphs	9-6
и	- photopoli onometry	1:-1
ti	- phototrian_ulation	50-5
n	a lay combined method	27- 3
33	, is it necessary	28-3
u	- planning and regulation of surveying in artillery	17-4
=	- plotting stereo model when light rays distorted	43-3
, s	- precision evaluation of differential altimater readings by comparison with elements of reciprocal orientation of aerial photographs	42-3
n	+ problems or merial surveying in artillery	52 -5
97	 quantitative photographic method and its significance for aerial photography 	7-2
	- range and accuracy of object measurement on aerial photo ্ৰাক্ষ্	- 53 <i>-</i> 4

PHOTOGRAM ETRY	- reciprocal orientation of aerial photographs	56-3
.	- rectification of aerial photographs as accomplished b Southern Military Topo raphic Division	y 16 - 5
•	- reduction of phototriangulation groups (triangle or polygons) under condition of excessive number of fundmental points	a- 23 - 5
	- relation of ground point coordinates to coordinates or photograph	n 29 - 7
*	- relation of location of principal point of aerial photograph to value of distortion	to- 46-2
•	- resection and refraction in 3-dimensions	22-2
•	- resection in 3-dimensions by use of 4 points	31-3
	 scale and angular distortion indices for aerial photographs 	. 29-8
4	- scale of photographic representations	54 3
	- simultaneous orientation, investigations	21-1
	the modified Finsterwalder method	21-2
a .	- simultaneous orientation of two vertical photographs by stereo measurement of parallax	20 <u>-4</u>
* .	single immovable axis of rotation and problems of orientation of photographs	21-3
	- standards of photographic overlap for aerial surveying	52- 6
*	standard terminolog, necessity for	28-1
# -	stereophoto surveying problems in USSR	9-4
* <u>-</u>	stereoplotting of initial direction at zero point of stereo effect	16-6
n _	stereo delineation of relief at 1/10,000, contour interval 2 meters	 28 - 7
*	stereoscopic	4 7- 8
"_	methods for map compilation	48 -1

PHOTOGRAPHITAL - stereoscopic observation with analyph in polarized light	49-2
= stereoscopic topographers	15-6
stereotopographi operations in Moscow Aerial Geodetic	
Establishment	<i>53-7</i>
-text	48-2
- theory of stereometric devices	10-7
- topographic initial points for phototriangulation	47-5
- topographic stereometer operations with aerial photo- graphs of mountainous regions	24-5
TERRESTRIAL - surveys	<i>57-</i> 3
- use in geological service	52-4
PHOTOGRAPHIC FAT RIALS - distortion	55-1
PHOTOGRAPHIC MATERIALS - maximum use in aerial surveying	25-3
PHOTOGRAPHIC PAPER - distortion	35-1
and method of elimination	47-4
elimination when rectifying	29-3
influence on image accuracy	55-1
PHOTOGRAPHIC REPRESENTATIONS - scales	54 - 3
PHOTOCRAPHIC SYCTEM - use of variable screen	26-5
PHOTOGRAPHIC TRAVERCES - simplified methods for aerial photographs	ر <u>ــويـ</u> 6ــو
PHOTOGRAPHY	
PHOTOGRAPHY - autofocus copy camera	34-8
	3-5
- bromo-colloidal emulsions for reproduction	34-4
- color characteristics of green	50-6
- developer formulas for field and laboratory processing	34 - 5
- device for determination of coefficient for color filters	lia n

	PHOTOGRAPHY	dry emulsi	on production	36-5
	n	- dry photo	plate production in laboratory	34-7
	n	- future dev	elopment prospects	54-6
			of heterogeneous sensitivity of emulsion grains sensitometric curve	32-2
	a	- interpreta	tion of photographic sensitivity	26- 3
	•	optics in	mosaic reproduction	29-2
	•	- principals	25X1D	5 1- 5
	•	- rectifier	by	26-1
	7	- shutters a	nd their properties	48-6
_	Ħ	- spectral r	eflection capacity of natural formations	26 -2
0	. #	- testing ge	latine produced by Lanskoy for color filters	50-3
			otographic papers at experimental laboratory of Fhotographic Gollege of Leningrad	32-4
	PHOTOGRAPHY	AERIAL		34-8
	89	= - acc	nuracy and range of object measurement	53-4
	π		suracy of rectifying for measuring altitude with ereometer	47-7
	n	• - acc	euracy test	34-3
	at	u - Aer mer	rial Geodetic Establishment of Moscow, advance-	20-1
	33	" - aer	rial surveying material used in soils investiga-	48-4
	s	" - alt	citude difference, measurement	8 -3
	п	" - ang	gular distortion in unrectified photographs	27-1
	Ħ	" - are	ea size calculation	53- 6
	n	п – ari	cillery use	40-2
	•	of	principal point of photograph when adjusting rial cameras	38-4

PHOTOGRAPHY.	AURIAL	- azimuth plotting device	30 - 2
11	#	- cameras and instruments	194
# .	Ħ	- cameras and research as to future development	52 -3 .
• _G	#	← contera 25X1D	55-2
	₩ t	- central projection	43-1
н ,		- clouds in aerial surveying	36-1
• ,	n	- coupling orientation for plotting rhombic nets of photo triangulation	43-4
Ø .		- curvature of line representing horizon	8-2
	• .	2 determination of coefficient of color filter	
n.	•	- determination of elements of mutual orientation with vertical photographs	بسود
# .	•	 differential altimeter precision evaluation by comparison with reciprocal orientation of aerial photographs 	42-3
т ,	п	- direction determination on oblique photographs	42-1
• •	. *	- direction of distortion on oblique photographs, method of determination	33-7
٠,		- distortion of central angle	54-4
* .	•	_ " " " located near principal point of photograph	54- 5
•	. #	- Dobrolet, organization for scientific research	53- 2
* ,	, "	- elements of interior orientation determination without use of angular measurement	54-7
77	, 17	- elements of theory	13-1
•	, •	- equipment for aircraft	45-3
n ,	• n	- * of Rectifying Bivision	27-4
0	, n	- emocure interval	46-5
	, ,	- film ali mment by glass pressure plate	34-1
		er at u th to th	31-2

PHOTOGRAPHY,	AERIAL	- film sensitivity increased by use of mercury	34 - 6
n ,	n	- filter and straightening glass influence on image quality	1-3
ш ,	н	- forcetry interpretation	45-5
	u	- future development prospects	54 - 6
e e	. 9	- geological and geomorphological investigations of Golodnnya Steppe of Kazakhstan	46-3
· *		- reological interpretation	35 - 5
• •	•	- reomorphological investigation by use of aerial photography for calculating ground points for aerial mountain surveys	30-3 42-4
IS 9.	a	- graphic devices for photographic analysis	30-1
• •	13	- horizontal projection distance determination with aerial photographs for calculating ground point for aerial mountain curveys	30-3 42-4
я •	*	- illumination in aerial surveying	46-6
*.	п	- image distortion when magative decentralized in rectifying	55– 3
• •	α	- improvement by spectrophotometric investigations	33-2
• ,	•	- influence of relief on vertical representation on photograph	27-7
c #	W	- interpretation experiments during map compilation	39-4
		- " for artillery use	50-1
'n,	*	- 9 for special hydrological purposes	40-5
u .		- ", high quality	50-4
# ,		- " , problem of theory	14-5
п.		_ п . н ы н	15-1
	я	- significance in desert combat	12-5
× .	, "	- st., theory	14-6
	11	- laboratory for techniques and procedures	57-5

рното	irapiy,	AERIAL	- laboratory interpretation and editing of topographic maps	31-6
		•	+ laboratory interpretation with scale 1/100,000	12-44
25X1D	n ,	Ħ	- lens production for geodetic work	51-6
23/10	• .	. •	objective in combined aerial and terrestrial surveying	26-4
	•		- location of a/c in 3-dimensions by use of vertical photographs	21-5
		, #	- location of a/c in 3-dimensions by use of vertical photographs	22-1
	•	a	- unterial and processing	23-3
	•	. "	- material selection in acrial forestry surveying	46-4
	•		- measurements on aerial photographs	24-6
	•		- model field laboratory for serial surveying	55-6
			- mosaics	25–5
			_ " errors	27-9
	z i	, .	- " investigation data	51 -1
	•		- rultiplex test of application	51-2
	.		- mutual adjustment (orientation) of photographs	23-4
	•		- obliques, simple method of determining distortion of direction	3 3-7
	•	9	- obliques, used to increase density of geodetic control net	43-2
		, #.	- obliques, Arctic derial surveying	52- 3
	•	1	- optical increase of contrast in aerial surveying	50-7
		, .	- optical rectification for cartographic use	7-3
	и	, u	- overlap, standards for acrial surveying	52-6
		, 8	- paper distortion elimination in rectifying	2° - 3
	es .	, n	- perspective rectifier for use with mide strip instrument WIIA	41-6

PHOTOGRAPHY,	ABRIAL	-	plant distribution and dispersion studies	5 3- 3
٠,	11		plotting 3-dimensional photogrammetric network by use of statoscope	25 – 6
M	н	_	principals	51-5
• .	н	-	problems and results in technology of processing for aerial surveying	16-1
и ,	#	-	procedures for showing relief by contour lines	52 -7
s .	ş * - 1	-	processing improvements	40-3
я ,		_	reciprocal orientation	56-3
	*	_	reconnaissance mapping at scale 1/50,000	17-6
•	n	_	rectification	49-3
*		<u></u>	and mosaics	29-4
• ,	*	-	as accomplished by Southern Military Topo raphic Div.	1.6-5
.	Ħ	-	rectification, electrical device for mutual coupling orientation of planes of rectifier	; 3 2- 6
и ,	19	-	rectification to standard scale	27-2
я,	8	_	rectifier	2-7
4 ,	TÎ.	_	* 25X1D	9-5
	•	_	u u	29-5
		_	n	27-5
	п	_	13	2 7- 6
я .	8	-	16	10-6
я ,	*	-	relation of ground point coordinates to those on photograph	29 - 7
• ,	Ħ	-	relation of location of principal point to value of thotogrammetric distortion	46-2
п .	*	-	results of activity of group	17-3
# ·	u	_	role of clear sky in spectral illumination of	5 0_8

PHOT	OURAPHY		NTOT Y	_	scale and angular distortion indices	29-8
	*		it	-	sensitometry for aerial surveying	32-3
	n	•	ম	-	of negative materials for serial surveying	16-2
	•	,	Ħ	-	shutter velocity when a rial surveying conditions are unfavorable	35 - 3
	•	•	SI.	-	simultaneous orientation investigations	21-1
	st ,	•	ti	_	by roulfied Finsterwalder method	21-2
		•	es .	-	simultaneous orientation of vertical photography by stored masurement of parallax	20-4
	9	,	a	-	sin le durovable unis of rotation and problems of orientation	21-3
	8	•	15	-	sketching from unrectified photographs	3 9 - 5
	•	•	•	-	soil rapping	15- 3
	×	,	11		specifications	58 - 1
	Ħ	•	a	-	standardization of negatives and positives	35-2
	n	•	11	-	storeoscope in geographic investigations	25 <u>-</u> 4
		•	n	-	stered delimention of relief at scale 1/10,000 , contour interval 2 meters	28-7
	•	•	×	_	surering	24-24
	•	,	, N	-	techniques in small scale map compilation	56- 3
		,	71	-	testing ground, basis for research in aerial surveying	44-7
	*	•	#	-	text for USSR Air Force photographers	43-5
			17	-	tilt of aircraft determination	8-4
	7	,		_	topographic stereometer use for mountainous regions	24-5
	17		я	-	transparencies for rectification	22-3
	=		B	_	traverses and processing methods	9 – 6
	n	,	83	_	veretation investigation by pectrum analysis	40-7

. 0

THIOTOCO DA THERE I A THE TAIL THE THE	
PHOTOGRAPHI, AERIAL RECORD AIGBALICE - Sperver Pilot's Manual	19-4
PHOTOURAPHY, COLOR - stereoscopic	18-2
PHOTO-CHART - method of large scale compilation	39-2
PROTORID n n n n	30_2
* - stereoscopic	38-2
- use by Kolkhoz (collective farm)	25-1
PHOTO WCHANICAL - compilation of State Map, scale 1/100,000	49-5
PHOTOMOSAIC	28-5
- data on investigation	51 -1
" - errors	27-9
PHOTOPLANS - portrayal of relief and interpretation for aerial surveys	19-5
PHOTOTOLIGONOMETRY - Drobshey method	14-1
PHOTOTHEODOLITE - artillery use	
.THEODOLITE SURVEYING - dependance on wide-spread use in	31-2
production of instruments	9-1
PHOTO-SHRETS, METAL - in reproduction	49-4
PHOTOSURVEYING - see SURVEYING ABRIAL	
PHOTU-TOPOGRAPHY - history of development	57-4
PHOTOTRIANGULATION - combination method	27- 3
- errors and necessity for	3 9 - 3
- errors in network	28-2
- extension of altitude control	9 -2
- is it necessary	2-2
D	28-3
H u s s	40 <u>-</u> 8
- method of policonometry	14-1
- practise	
- reduction of groups (triangles or poly ons) under	50-5
condition of excessive white of fundamental points	23 - 9

PHOTOTRIANOULATION - rhombic mets by coupling orientation of serial photographs	43-4
= ruler for reduction of	11-5
topographic initial points	47-5
PHYSIOGRAPHY - aerial surveying materials used in geomorphelogical investigations	41-4;
- serial surve in rathods in connection with Tay a Belt. Central Siberia	38-5
P.YSIOTRAPHY AID CESSION - acrise photography in investigations of Golodogra Steppe in Kazakhetan	146-3
Pland, Basic - distance, reland	27-4
, ethod for determining points in construction of anaphym in photogrammetry	22-5
PLANCE = mutual coupling orientation of planes of rectifier by electrical device	32 - 6
PLATE TABLE SURVEY - use of serial surveys	15√;
PLANI TABLE - use with script surveying at scale of 1/50,000	37 - 3
" " - " " " in desert relions at scale of 1/200,000	36-7
PLAN, FIVE-YOAR - research in serial surveying	45-1
PLANIEMERIC MENTIN, ANDERS	<i>5</i> 7 - 3
PLACEDIC - regulation of acrial surveying in artillery	17-4
PLAN OF OPENATIONS - computations for sorial surveying	27-8
PLAIT - aerogeodetic instrument production	46-1
FLAM LIFE - distribution and dispersion studies by use of acrial photography	53 - 3
FIAL U. DRY FROTO - laboratory production	34-7
PLOTTILI - stereo model when light rays are distorted	43 -3
- three-dimensions of photographetric network by use of statoscop	ж 25 - 6
FILETTING DEVICE - azirroth	30-2

O.

PLOTTING, STEREO - initial directions at zero point of stereo effect	16-6
POINTS - also see PRINCIPAL POINT	
POINTS - determination by method of base plane of distance to construct anaglyph for photogrammetric use	22-5
- relation of ground coordinates to those on photograph	29-7
" , FUNDAMENTAL CONTROL - reduction in phototriangulation groups (triangles or polygons) under condition of an excessive number	23- 5
• . INITIAL TOPOGRAPHIC - phototriangulation	47-5
• , ORIENTATION - rectification of aerial negatives when altitudes differ	32 - 1
, ZERO - stereoscopic plotting of initial directions at zero point of stereoscopic effect	16-6
POLARIZED LIGHT - stereoscopic observation with anaglyph	49-2
POLIGONOMETRY. PHOTO - Drobyshev method	14-1
POSITIVE, PHOTO- standardization in aerial surveying	35-2
PRESSURE PLATE, CLASS - film alignment in camera	34-1
я п, п _ п п п п	34-2
PRINCIPAL POINT - displacement determination on photography by auto- collimation method when adjusting aerial cameras to 25X1D	38 <u>-</u> 4
" - distortion of central angles located near principal point of photograph	54-5
" - relation of location on aerial photograph to value of photogrammetric distortion	46-2
PRINCIPALS - aerial photography and photography	51 - 5
PROCEDURES, PHOTOGRAMMETRIC - differential method of complete techniques	5 6- 6
PROCESSING - improvement in photography	40-3
PROCESSING, PHOTOGRAPHIC - chemical composition of negative sensitive materials and their processing conditions in aerial photography	7-1
- developer formulas for field and laboratory	34-5

PROCESSING, PHOTOGRAPHIC - notes on aerial photography and photographic materials and processing	23-3
- results of work and the problems of technology in aerial surveying	16-1
PRODUCTION - photographic lens for geodetic work	51-6
FORCES - advances and problems in use of aerial surveying	12-6
" . INSTRUMENT - dependance on widespread use of phototheodolite surveying	9-1
PROJECTION, AZIBUTHAL - application for calculation and investigation of photogrammetric problems	22-4
CENTRAL - aerial photograph	43-1
OF DISTANCES - horizontal, determination by aerial photographs for calculating ground points for use in aerial mountain surveys	30- 3
PROSPECTING - aerial surveying in peat location	38-1
PROSPECTING AREA OF ASNEFT - aerial surveying and techniques of operations	18-6
PROSPECTING, GEOLOGICAL - aerial surveying and problems at sea	7-4
• - handbook of standards	58 - 2
- use of aerial surveying	41-1

<u>Q</u>

QUARTITATIVE PHOTOGRAPHIC METHOD - significance for aerial photography	7-2
QUARTERNARY DEPOSITS - use of visual observation from air in Karelia	4_3

RAFTING. TIME	ER - use of aerial surveying	40-1
	se of aerial surveying	4-6
		53-4
PANGE AND ACCURACY - object measurement on aerial photographs		
	interference when intersecting	44-1
RECIPROCAL OF	ATTEMPTATION OF AURIAL PHOTOGRAPHS - use of elements in evaluation of precision of differential altimeter readings	42-3
RECONNAISSANC	E. AERIAL - improvement thru photospectometrical investigations	33-2
w	# PHOTOGRAPHIC - Observer Pilots Manual	19-4
· я	MAPS - use of aerial photography	17-6
RECORDS. ACCO	MPLISHENT - Southern Aerial Geodetic Establishment	35-6
RECTIFICATION	- accuracy with aerial photographs for measurement of altitudes by stereometer	47-7
a	- aerial negatives when altitude of orientation points differ	32-1
×	- aerial photography	49-3
	- aerial photographs in Southern Hilitary Topographic Division	16-5
	- aerial photographs to standard scale	27-2
•	- angular distortion on unrectified photographs	27-1
11	- automatic solution of decentralization of negative	8 - 6
•	- distorted ima e due to decentralized negative	55 - 3
•	- elimination of distortion in photographic paper	29-3
	- equipment of rectifying division	27-4
и	- transparencies for aerial photographs	22 -3
M	AND MOSAICS - aerial photography, methods	29-4
n	, OPTICAL - aerial photographs for cartographic use	7-3

	D. T. G. D. T.	
	RECTIFIER - adjustment	2 9 - 5
	RECTIFIUR - aerial	9-7
		9-8
	• • sec_4	10-6
	- electrical device for mutual coupling orientation of planes	32-6
	- lens technical requirements	58-4
	25X6	27-5
25X	1A " -	27-6
	- technical requirements for large scale mapping	58-4
	H - H H Sinall H H	_
	25X1D	58-4
	# RITELD D	25-1
	FIELD - Drobyshev system	<i>55</i> - 7
	PERSPECTIVE - use with wide strip instrument NIIA	41-6
	REDUCTION - rules for computations in phototrian ulation	11-5
	REFLECTING POWER - natural surfaces	6-1
	REFLECTION - spectral capacity of natural formations	26-2
	REFRACTION AND RABBOTion - three dimensional photogrammetric	22-2
	REGIONAL ASRIAL SURVETING - results of use of specifications in evaluation of flight lines	28 <u>-4</u>
	RELIEF - connection to soil and application of aerial surveying to soil mapping	38-2
	RELIEF - correction device for multiplex to improve resulting displacement	22-6
	" - influence on vertical representation on photograph	27-7
	- instructions for portrayal and interpretation on acrial survey photoplans, 1/25,000 and 1/50,000	19 - 5
	- modern procedures with aerial photographs for denoting by contour lines	52- 7
	- stereo delineation at scale 1/10,000 , 2 meter contour interval	28-7
	= transferring by use of extension-type steresscope	2 2

60	RELIEF, AERIAL SURVEYING - reconnaissance	56-2
6 .	. LOW (MICRORELIEF) - aerial surveying	33-5
	u , u , u , u	3 3- 6
	REPRESENTATION, PHOTOGRAPHIC - scales	54-3
	" VERTICAL - influence of relief	27-7
	REPRODUCTION - application of bromo-colloidal emulsions	بلسبلا
	- metal photo-sheets	49-4
	* AP - color separation negatives without retouching	36-4
	* MOSAIC - optical methods	29-2
	REQUIREMENTS - day illumination for aerial surveying	46-6
	REQUIREMENTS, TECHNICAL - rectifier for large scale mapping	58-4
	M B B W M SMall H M	58-4
	u lenses	58-4
	- surveying aircraft	58-4
	" - " cameras for large scale mapping	5 8-4
	w , n _ w w small w w	58-4
	, w - " Henses	58-4
	RESEARCH - aerial camera development	52-1
25X′	A - aerial photographic organization	53-2
	<pre>testing ground basis for study in field of aerial surveying</pre>	44-7
	- aerial surveying 5-year plan	45-1
	in connection with topography	7- 6
	* PROBLEMS - serial surveying in connection with geodetic control	5 -3
	RESECTION, PHOTOGRALL STRIC - 3-dimensional	22-2
7	by use of 4 points	31-2
•	RESOURCES, NATURAL - investigation by aerial surveying	14-7

RETOUCHING AND CORRECTION - negatives	25 -7
REVIEW - photo-topographic development	57-4
RHOMBIC NETS OF PHOTOTRIANGULATION - plotting by use of coupling orienta- tion of aerial photographs	43-4
RHOMBIFORM TRIANGULATION - joint development on 2 or 3 contact flight lines	2 5-5
ROADS - use of aerial surveying	4-6
ROTATION - single immovable axis and problem of orientation of photographs	21-3
25X1D	55-2
RULER - for reduction of phototriangulation	11-5
<u>\$</u>	
SAND DESERT - aerial surveying in hydro-geological investigations	41-3
SCALE - laboratory identification of 1/100,000 scale aerial photographs	2-4
- of photographic representations	54-3
 AND ANGULAR DISTORTION - indices for aerial photographs 	29 - 8
• . SMALL - aerial surveying	14-2
 STANDARD - through rectification of aerial photographs 	27-2
SCHEDULE, TECHNICAL - for vertical aerial surveys	23-1
. TIME - in flight planning for aerial survey	5 - 5
SCHOOL, HILITARY TOPOGRAPHIC - aerial surveying	33 - 3
SCREEN, VARIABLE - use with photographic system	2 6 5
SEA - aerial surveying and problems of geological prospecting	7-4
SENSITIVITY, AERIAL FILM - increase by use of mercury	34-6
PHOTOGRAPHIC - interpretation	26 - 3

SENSITONETRIC CURVE - influence on form of heterogeneous sensitivity of emulsion grains	32-2
SENSITOMETRY - for acrial surveying	32-3
- of negative materials for aerial surveying	16-2
SHUTTER - properties	48-6
• CENTRAL - aerial surveying Vertiporokina (TsAZV-1)	49.7
* SPEED - calculations when aerial surveying conditions are unfavorable	35 - 3
SIBERIA, CENTRAL - experiments in application of aerial surveying to geomorphological investigation of Tayga Belt	38-5
SIGNAL LAMP - for aircraft in aerial surveying	31-5
SILVER - extraction from fixing baths in aerial surveying	16-3
SKETCHING - from unrectified aerial photographs	39-5
SOILS - connection to relief and use of aerial surveying in soil mapping	38 -3
 INVESTIGATION - use of aerial surveying material 	48-4
MAPPING - use of aerial photography	15-3
SOLAR NAVIGATION - application to aerial surveying	31-4
SOUTHERN AERIAL GEODETIC ESTABLISHMENT - accomplishment records	35-6
SOUTHERN MILITARY TOPOGRAPHIC DIVISION - rectification of aerial photography	16-5
SPATIAL PHOTOGRAMMETRIC NET - method of development acceptable to Novosibirskoye Aerogeodezicheskoye Predpriyatiye (GUGK)	17-2
SPECIFICATIONS - acrial photography	58-1
- results of use in evaluation of flight lines in regard to aerial surveying	28-4
SPECTRAL ILLUMINATION - role of clear sky for horizontal surfaces	50-8
REFLECTION - capacity of natural formations	26-2

SPECTROPHOTOMETRICAL INVESTIGATIONS - use for improvement of aerial photography and recommissance	33-2
SPECIRUM STUDY - investigation of vegetation by aerial photography	40-7
STABILITY - elimination of deformation in photographic paper when rectifying	29 -3
- lack of in photographic paper	35-1
STANDARD SCALE - through rectification of aerial photography	27-2
* TERMINOLOGY - requirement for photogrammetry	28 –1
STATOSCOPE - use for plotting 3 dimensional photogrammetric network	25 - 6
STATE HAPS - photomechanical compilation at scale of 1/1,000,000	49-5
STATUS, PRESENT - aerial surveying	24-7
STEPPE, GOLODNNIA - aerial photography in geological and geomorphological investigations of Kazakhstan	4 6– 3
STEREOAUTOGRAPH	9-3
STERBOMETER	بالـ10
 accuracy of rectifying aerial photographs for its use in measurement of altitude 	47-7
- use for decreasing density of control network	24-2
TOPOGRAPHIC - operation with aerial photographs of mountainous regions	24-5
STEREOPETRIC DEVICES - theory	10-7
STRRECMETRIC MAPS - aerial stereometric surveying	57- 3
• INTERSECTION, PERSPECTIVE	11-4
STEREOPHOTOGRAMHETRY	47-8
STEREOPHOTOGRAMMETRY, TERRESTRIAL - problem of utilization for geological service	52-4
STERROPHOTOGROPOETRIC INSTRUMENTS, NEW	10-9
STEPPOPHOTOGRAUMSTRIC METETS, TERRESTRIAL	57-3

STEREOPHOTOSURVEYENG - problems, USER	9-4
STEREOSCOPE - AIR+1	5 % - 3
- D-4, with enlargement	10-8
= constination of use in Drobyshev system	31-7
- use in map compilation	37-6
- use with acrial photographs in geographic investigations	25-4
. EXTENSION TYPE - use in transferring relief	3-2
• TOPOGRAPHIC	36-2
- new type TSD-2 and its application	10-5
STEREOSCOPIC DELINEATION - relief at scale of 1/10,000 with 2 meter contour interval	23-7
DRAWING INSTRUMENT	23-7
" DESTRUMENTS - influence of mirrors on precision of photogrammetric measurements	3-4
• - mesuring marks	15-7
#STRIGES - map compilation	43-1
* MXEL = distortion	24-1
	29-2
" - plotting when light rays distorted	43-3
* OBSERVATION - anaglyph in polarised light	49-2
" OPERATIONS - map compilation at scale 1/100,000	51-3
* PHOTOGRAPHY - color	18-2
PLOTTING - initial direction at sero point of stereoscopic effect	16-6
TOPOURAPHERS - instrument operators	15-6
STEREOTOPOGRAPHY - operations in Moscow Assial Georgetic Establishment	£3.5

STEREOTO)P O GR/	APHY	- operations in Northwest Aerial Geodetic Establishment	56 -1
STORAGE	- ma	t eri a	ls for acrial surveying	12-2
STRAIGH	STRAIGHTENING GLASS - influence on image quality			1-3
SULFATE	- ini	Cluen	ce in developing	16-4
SURFACE,	HOR	ZONT	AL - role of clear sky in spectral illumination	50-8
SURFACES	, RAT	FURAL	- reflecting power	6-1
SURVEXIN	IG, AE	ERIAL	·	5-1
•	•	•		5-2
•	•	•		53-5
•	•		- absolute altimeter use	15-5
	•	•	- accomplishment records in Southern Aerial Geodetic Establishment	35-6
	•		- accuracy of contours obtained by differential methods	19-1
	•		- accuracy of rectifying aerial photographs for measuring altitude with stereometer	47-7
	•	•	+ Aerial Geodetic Establishment activity during the first half of 1940	<i>5</i> 7 - 1
• _ `	•	•	- aerial photographic group activity	17-3
•	•	•	- aerial photographic testing ground as basis for research	44-7
•	•		- Aerial Topographic Division experiences	6-2
•	•	•	- aerogeodetic instrument plant	46-1
•	•		- aerological conditions	35-7
	•		- agriculture in USSR	33-4
=		*	- agriculture, scientific problems	43-6
	_		+ aircraft	42-7

· 😂				n A comment of the A comment of the	53-4
	SURVEXI	Mi,	AIGRIAL	- aircraft, technical requirements	17-1
	•	•	**	- application to geology	•
		•	•	- application to hydrographic work in Arctic	15-2
	•	•	•	- application of solar navigation	31-4
	•	•	111	- application for topographic and geodetic work	37-2
		•		- arctic hydrographic work, problems in use	5- 6
		•		- atrospheric optics	19-2
	•.	•	*	- attention to	6-3
	#	•		- azimuth plotting device	30-2
	•	•		- bibliography	<i>5</i> 7-2
	•	•	• .	- by the Ukrvoschikhput	43-7
	۹.	•		- cameras, technical requirements	58-4
			•	- camera lenses, technical requirements	58-4
		•	•	- central shutter of Vertiporokh (TsAZV-1)	49-7
	•	•		- clouds	36-1
	•		•	- combination type	2-3
	•		. 17	- Compass USB	18-3
				- communication (roads, railroads, waterways)	4-6
		•		- complex investigation of Turksmenia	24-4
		•	:	- computations for plan of operations	27-3
	_	٠	, -	-	4-6
		•	, #	- construction	6-6
	•	•	, -	- cost of topographic surveying dependent on region	<u></u>
	a	•	•	- coupling orientation of photographs in plotting rhosbic net of phototriangulation	43-4
			10	- day 111mination requirements	46-6

SIRVEYING.	AERIAL	- decreasing density of control network on stereometer	24-2
* ,		- dependance on widespread use of phototheodolite in instrument production	9-1
* ,		- derivation of basic formulas of distortion	21-6
• ,	. #	- determination of horizontal projection distances by use of aerial photographs for calculating ground points for mountainous regions	30-3 42-4
	•	- distortion of direction determination for oblique photographs	33-7
,	•	- development of operations	56 -7
* ,	#	- discussion by Surveying Institute of Moscaw	6 - 4
n ,		- evaluation of experiments in silviculture work	3-1
	•	- experiments in compiling maps at 1/500,000 scale	1-2
		- experiment in forestry	2 - 6
. "	* *	- experiments in geomorphological investigation of Tayga Belt, Central Siberia	38-5
	.	- experiments in irrigation construction	18-7
• •	, "	- experiment in laboratory identification of aerial photographs and editing topographic maps	31-6
•	. *	- exposure time determination, problem	17-L
	, "	- field methods	47-2
	, "	- five year plan of scientific research	45-1
•	, *	- forest economy in Kusbass-Ugol	45-6
*	, "	- forestry	37-5
1 🖷	, *	- forestry, selection of photomaterials	46-4
•	, "	- future development	55-4
**	, "	- future development prospects for phototopography	54-6
•	, "	- generalization of 3-dimensional and plane triangulation	47-6

SURVEYING	, ABRIAL	- geobotanic map compilation at large scale	26-6
•	. "	- geography	20-3
*	. *	- geological mapping in mountainous Bashkir	12-3
•	· u	- geodetic control reduction in topographic map compilation	بالـــان
• ,	, H	- geodetic control research problems	5-3
•		- geological prospecting	41-1
f:	. *	- geological prospecting at sea, problems	7-4
•	, •	- geomorphological investigations	41-4
.	, "	- guide to bibliography	45-2
	. "	- handbook of standards for geological prospecting	58-2
•	, "	- history of phototopographic development	57-4
•	, "	- hydro-geological investigations in sand desert	41-3
• .	11	- idea on photogrammetrical surveying	12-4
•	, #	- improvement of accuracy of plane horisontal photogrammetric nets	56-4
•	, •	- industrialisation five-year plan	36-3
*	n	- industry usage	4-60
, ,	. •	- instrument construction in USSR	11-1
n .	, #	- interpretation of aerial photographs in laboratory during man compilation	39-4
"	*	- joint development of rhombic triangulation on 2 or 3 contact flight lines	25-5
,	, ,	- land control	4-6
H .	. •	- length of flight line when aircraft instrumentally navigated	5-4
ii e	*	- length of flight line when aircraft instrumentally navigated	49-6

Ç.

25X1D

SURVEYING,	AIRIAL	- Leningrad Municipal Engineering Division	49-1
ti ,	*	- level control for photogrammetric surveys	10-1
* ,	Ħ	- objective in combined aerial and terrestrial surveying	26 - L
* ,	. •	- limnological (fresh water) investigations	1:0-1
	#	- low relief areas	33-5
` " ,	Ħ	_ # # #	3 3- 6
H ,	n	- Main Geodetic Committee accomplishments	51-4
77	n	- mapping	11-3
* ,	Ħ	- materials used in departmental land mapping	37-1
n ,	*	- maximum use of materials	25 -3
• ,	n	- measurement of mapping base (b sin h) by use of nomogram when increasing vertical control net by straight line method	45 -7
٠,	*	- method, modern, to show relief by contour lines	52-7
N 9	*	- method of development of spatial photogrammetric net acceptable to Novosibirskoye Aerogeodezicheskoye Predpriyatiye (GUOK)	17-2
* ,	11	- Military Topographic Administration	2-5
H ,	*	R #	18-5
n ,	•	- Military Topographic School	3 3-3
H ,	*	- model field laboratory	55 - 6
* ,	*	- model (miniature) of proving ground	6-7
* ,	*	- multiplex, test of application	51-2
n ,	*	- nadir triangulation on aerial photographs	10-2
" ,		- nadir triangulation and its application	10-3
*	Ħ	- national economy	40-5
	,	- natural resources investigation	117

SURVEYING,	ASTOTAT	night.	47-3
W	N MARKET	- Northwestern Aerial Geodetic Establishment	33 -1
•)	- Northwest Establishment operations	25-2
* ,	•	•	52 -3
и ,	• "	- oblique aerial photography in Soviet Arctic	11-7
" ;	, n	- oil industry	<u></u>
**	, "	- optic development	
H	, "	- optical increase of contrast	50 -7
**	, "	- organization	5 1-7
•	, "	- organizational problems in Arctic	12-1
#	, n	- organization and photogrammetric operations in various establishments	- 24-3
,		- peat deposit prospecting	3 8 -1
,,	,	- peat industry	52 – 2
	, .	25X1D - perspectograph by Aleksapol'skiy	11 ₁ -3
*	, "	- photogrammetric advancement in aerial surveying through use	39 -1
•	, "	nete by analytical graphic	39-6
u	, W	- photogrammetric elaboration by course by graphical method	11-2
*	, '	 photogrammetric network plotting in 3 dimensions by use of statoscope 	25 -6
	, ,	- photogrammetric problems in artillery	52 - 5
11	-	 photogrammetric operations in Novosibirsk Aerial Geodetic Establishment 	23-2
n		- photogrammetric resection by use of h points	31-3
tr	,	" " in 3 dimensions, and refraction	2 2-2
99	,	 photogrammetric surveying in artillery, planning and regulation 	17-5

25X1D

SIRVEYIN	G. AF	RIAL	- r	ohotographic	camera					5 5-2
*	.	ŧ		ohotographic			prospe	ects	_	54 - 6
#	,	n		π					eodetic work	51 - 6
#	,	p	- }	photographic	overla	p sta	nda rds			52 - 6
*	,	W.	- 1						, results and	16-1
₩	,	· n	- ;	photographic aerial photo	traver graphs	se s a	nd sim	2 11 1	ied processing of	9-6
77		Ħ	_	photomateria	l selec	ction	for us	e in	forestry	46-4
# :	•	Ħ	_	photopoligon	cmetric	e meti	ods			14-1
•	,		_	phototriangu	lation	and o	extendi	ng a	ltitude control	9-2
	•		-			bу с	ombin e d	l met	hod	27-3
*	,	11	-	•		erro	rs			39-3
w	,	p	-	n of excessive	a numbe	grou r of	p reduc	ction ental	n under condition L points	23 - 5
**	,	*		phototriang	ulation	, ini	tial to	opogz	raphic points	47-5
*	,	17	_	•			essity			2-2
	•	#	_	Ħ		,	Ħ	**		28-3
17	•	**	_	**		,	17	Ħ		1:0-8
•	•	n	_	n		,	•	n	and errors	39-3
**	,	Ħ	_			pred	tice			50-5
•	•	**	-	planetable mapping at	and aer 1/200,0	rial :	survey	comb	ination for desert	36-7
*	•	W	-		and aer	rial :	su rvey	comb	ination for desert	37-3
•	,		_	- planetable	survey	util	ization	of	aerial surveys	15-li
*	,		-	- planimetric	3					57 -3
*	,	•		- plotting 3-	-dimens	ional	photo	g rain	metric network by	25 -6

SURVEYING,	AERIAL	- possible use in Maritime territories and status of cartographic operations in area	28–6
* ,	, "	- practice	1,-1,
н ,	Ħ	- present day status	2l:-7
# ;	. 11	- problems	19-2
n i	n	- processing of aerial photographs and photographic traverses	9-6
n :) H	- productive forces, problems and advances of studies in USSR	12-6
	, "	- prospecting for peat deposits	38 -1
n	, H	- railroads	11-6
*	9 W	- reconnaissance for	56 –2
Ħ	n	- reconnaissance of relief surveys	7 - 5
Ħ	, "	- rectification of aerial photographs as accomplished by the Southern Military Topographic Division	16-5
*	9 W	- reduction of geodetic control in compilation of topographic maps	21;-4
*	, "	- reduction of phototriangulation groups under conditions of excessive number of fundamental points	23 - 5
計	9	- refraction and photogrammetric resection in 3-dimensions	22-2
tr	, "	- relief	2 -1
•	, "	- relief portrayal and interpretation on photoplans	19-5
11	, H	- relief surveying reconnaissance	7-5
•	, *	- research problems in connection with geodetic control	5-3
*	, .	- results of activity of aerial photographic group	17-3
•	, "	- roads	
*	, •	- scale and angular distortion indices for aerial photographs	29-8

SURVEYING,	, AF	RIAL	_	scientific research in connection with topography	7-6
tr	,	n	_	scientific research problems in agriculture	1,3-6
91	,	17	_	sensitometry	32-3
tt .	,	n	_	of negative materials	16-2
u	,	Ħ	-	shutter speed calculations when conditions unfavorable	35 -3
*	,	19	-	signal lamp for aircraft	31-5
	,	**	_	silver extraction from fixing baths	16-3
n	,	**	-	simple method of determining distortion of direction on oblique photographs	33-7
Ħ	,	Ħ	-	sketching from unrectified aerial photographs	39- 5
	,	12	-	small scale	14-2
*	,	Ħ	_	п я	L1-5
90-	,	77	_	報 特	42-5
	,	**	-	" " perspectives	1:2-2
•	,		-	soil mapping, connection between soil and relief	38-3
Ħ	•	**	_	specifications for evaluation of flight lines in regional surveying, results of practice	28 - 4
¥	,	11	-	spectrophotometrical investigations to improve aerial photography in reconnaissance	332
t 1	,	R	_	standardization of negatives and positives	35-2
*	,	*	-	standards of photographic overlap	52- 6
Ħ		*	-	stereo delineation of relief at scale 1/10,000 with 2 meter contour intervals	28-7
п	,	#	-	steremetric	57 - 3
*	,		-	stereophotosurveying problems in USSR	9-4
œ	,	×	-	stereotopographic operations in Moscow Aerial Geodetic Establishment	53 -7

SURVEYING,	AERIAL	- stereotopographic operations in North-Western Aerial Geodetic Establishment	56-1
• ,	, H	- storage of original materials	12-2
-	, -	- method of surveying of a swell and test of its application in Northern seas	37-1
	, .	- swamps, use of surveying to explain extensive areas	13-3
,	, "	- technical conference summary	58-4
	, "	- technical schedule for vertical survey	23-1
*	, "	- techniques of operation in Azneft prospecting area	18-6
•	9 ⁸¹	- theodolite use in combined air-photo topographic survey	4-1
•	, *	- timber rafting	40-1
#	, *	- time schedule for survey while setting up plan for operations	5-5
•	, #	- topographic initial points for phototriangulation	47-5
•	, "	- topographic operations	59 -1
	, u	- topography, scientific research	7-6
•		- topographic stereometer operation with aerial photographs of mountainous regions	24 - 5
*	, .	- topographic stereoscope	36-2
*	, "	- training engineers in Educational Section of Civil Air Fleet	41-2
•	, "	- urban areas	48-8
	•	- visual surveying from aircraft and its significance for 1/1,000,000 map compilation	45-4
•	, *	- volcanological expeditions by USSR Academy of Science	8 - 5
•	*	_ untervava	4-6

	SURVEYIN	G, A BIAI	wav	motion study	50- 2		
	n	#	- magn	netic - det rmining depth of magnetic masses	30-5		
	**	ল ব	÷1	- of Karelo-Finnish SSE	31-1		
	Ħ	, FHOTO	GRUDETT.	RIC - idea on	12-4		
	Ħ	. PTATO	Tull -	combined with acrial surveys in desert at 1/200,000	36 - 7		
	†)	-	combined with aerial surveys in desert at 1/50.000	37-3		
	a #	•	•	theodolite in combined asrial-photo topographic survey	4-1		
	ŧ:		-	use with aerial surveys	15-4		
	įτ	, Tubru	TRIAL	objective in combined aerial and terrestrial surveying	26-4		
5X1D	n	3		- use of sterropheterrametry in the Geological Gervice	52_4		
	Ħ	*	£.	or of the state of	<i>5</i> 7 - 3		
	Ħ	, visu	V - ald	in map convilation at scale of 1/1,000,000	45-4;		
	SMANTS = aerial surveying to explain nature of areas						
	STAILS - photogrametric surveying and test of application in northern seas						
ζĘ.	SYSTEM.	PHOTOGR	PHIC -	use of variable screen	26-5		
				BURIA - aerial surveying in conducting geomorphological investigations	38 -5		
	TOCHNIC	al conf	CNO S	BININAY - aerial surveying	. 58 <u>-</u> 4		
	M			- rectifier for large scale manying	58-4		
	u		Ħ	_ " small " "	58-4		

	5 8-4
TECHNICAL REQUIREMENTS - rectifier lenses	58-4
# = surveying aircraft = surveying camera for large scale mapping	58 - 4
" # TEAL P	58-lı
я "	57 - 5
TECHNIQUES - laboratory of aerial methods	566
PHOTOCRAMMETRIC - differential methods	56-8
, PHOTOGRAPHIC - compilation of small scale maps	28-1
TERMINOLOGY - requirement for standardization in photogrammetry	52-4
TERRESTRIAL STERESPHOTOGRAFMETRY - problems in Geological Service	22-4
TERRESTRIAL SURVEYING - see Surveying, Terrestrial	
TEST - multiplex application	51-2
TESTING - gelatine produced by Landskoy for color filters	50-3
TESTING GROUD, AFRIAL PHOTOGRAPHIC - Basis for scientific research in field of aerial surveying	Lili-7
TESTS, ACCURACY - aerial photographs	34-3 13-5
TEXT - aerial photography for photographers of USSR Air Force	43-3 51-8
TEXT - elements of photogrammetry	51 - 0
= general photogrammetry	56-5
= _ manual of general photogrammetry	19-4
- observer pilots manual on air combat, bombing, communications,	17-4
photo recommissance	L-1
THEODOLITE - use in combined air-photo topographic surveys	31-2
THEODOLITE, PHOTO - in artillery service	18-1
THEORY - elements of aerial photography	8 - Jı
TILT - determination of tilt angle of aircraft by tilt angle of aerial photographs	
TIMBELLE - use of serial photography	40-1

TIME,	EXPOSURE - problem of determination for	aerial surveying	17-4
TOPOGE	RAPHY - accuracy of contours obtained by	differential method	19-1
13	- aerial surveying by Military Topo	graphic Administration (19)	30)18- 5
	- cost of relief aerial surveying d	ependent on region	6-6
**	- experiences of Aerial Topographic	Division	6-1
**	- initial points for phototriangula	tion	47-5
•	- new construction of stereoscope T	SD-2 and its application	10-5
*	- photogrammetric cartographers		15-6
	- processing methods for aerial pho by contour lines	tographs to show relief	52 -7
*	- reconnaissance for relief-aerial	survey	56-2
•	- recommaissance of the relief-aeri	al survey	7-5
7	- relief aerial surveying		2-1
Ħ	- reduction of geodetic control in	map compilation	211-11
•	- relief portrayal and interpretati aerial surveys at 1/25,000 and 1/	on on photoplans for 50,000, instructions for	,19 - 5
*	- relief transferring by use of ext	ension stereoscope	3-2
19	- scientific research in field of a	erial surveying	7-6
n	- standards		59-1
W	- stereo delineation of relief at l contour interval	/10,000 with 2 meter	28 -7
**	- theodolite use in combined air-ph	oto topographic survey	4-1
#	- use of aerial surveying materials	•	59 -1
TOPOG	RAPHIC - Geodetic Work - application of a	erial stereo-surveying	37-2
TOPOG	RAPHIC MAPS - experiments in editing and of serial photographs	laboratory identification	31-6
TOPOG	RAPHY, PHOTO - future development prospec	ets	54-6
TOPOG	RAPHY, FHCTO - history of development		57 - Li

0

TOPOGRAPHY SCHOOL, HILITARY - merial surveying	3 3-3 ,
TOPOGRAPHY, (TEREO - Moscow Aerial Geodetic Establishment operations	53-7
" - North-Western Aerial Geodetic Establishment operations	55 -1
TOPOGRAPHIC STITEMETER - operation with agriclephotographs of mountainous regions	24-5
TOPOGRAPHIC STERFOSCOPE	36-2
TRANSPARENCIES - use for rectification of aerial photographs	22-3
TRAVERSES, PHOTOGRAPHIC	9-6
TRIANGULATION - generalization of 3-dimensional and plane triangulation	47-6
- method of development of perspective photogrammetric nets	17-2
 oblique aerial photographs used to increase density of geodetic control net 	43-2
 plotting of 3-dimensional photogrammetric network with use of statoscope 	25 - 6
- nadir - error investigation	54 -1
" - nadir - on aerial photographs	10-2
n _ n _ n u u and application	10-3
PHOTO - altitude control extension	9-2
" - combination method	27-3
 determination of horizontal projection of distances on aerial photographs to calculate ground points for aerial mountain surveying 	3 0-3
u as above	1:2-4:
" - errors and necessity for	39 -3
" - errors in network	28-2
" - method of photopoligonometry by F.V. Drobyshev	11,-1
w w necessity	2-2

	n, photo	- necessity	28-3
4 **	, "	_ u	40-8
11	3	- practice	50-5
*	, "	- reduction in number of groups under condition of excessive number of fundamental points	23-5
	, tr	- ruler for use in reduction	11-5
11	9	- topographic initial points	47-5
**	9	- utilization of coupling orientation of the photographs when plotting rhombic nets	43-4
*	, RHOMB	IFORM - joint development on 2 or 3 contact flight courses	25 - 5
TURKEMENIA -	aerial	surveying in complex investigation	⊒ ↓-↓
UKRVOZDUKHPU	T - aeri	al surveying activity	43-7
UNCONTROLLED	MOSAIC	- field preparation for use in compilation of USSR 1/200,000, State Topographic map	13-1
URBAN AREAS	- aerial	surveying	48-8
VARIABLE SCRI	EEN - us	e in photographic system	26-5
VEGETATION -	investi	gation by spectrum study of aerial photographs	40-7
VERTICAL CON	TROL NET	- measuring mapping base (b sin #) by nomogram when increasing by use of straight line method	1,5-7
VERTICAL PHO	TOGRAPHS	- determination of elements of mutual orientation	30-4
•	*	- simultaneous orientation by modified Finsterwalder method	21-2
•	**	- simultaneous orientation by use of the stereoscopic measurement of vertical parallax	: 2 0-l ;
•	n	- use in 3-dimensional location of aircraft	21 - 5
tī	*	- н н н н н н	2 2-1
" REP	RESENTAT	ION - influence of relief on photographs	26-7
VERTIPOROKH		- central aerial surveying shutter	49-7
25	X1D		

VISUAL CESTRUATION - acrial observation in surveying quaternary deposits in Karelia	4-3
PISUAL SURVEYING - significance in map compilation at 1/1,000,000	45-4
VOLCANCLOGICAL EXPEDITIONS - use of aerial surveying by USSE Academy of Science	8 - 5
WATER - aerial surveying in hydro-geological investigations in sand desert	41-3
 interpretation of aerial photographs for special hydrographic studies 	40 - 5
WATER, FRESH - aerial surveying in limnological investigations	140-14
WATERWAIS - use of aerial surveying	14-6
WAVE MOTION - aerial surveying use in making studies	50-2
m = method of stereophotogrammetric surveying of a swell and its application in northern seas	37-4
WIDE - ANGLE LEMS - "Keonar 2" produced by	3-3
25X1D	4-2
# _ # " - on development of wide-angle optics	Lil:-3
# _ # - orthoscopic lens system of 25X1D	141-1
= - STRIP INSTRUMENT (NIIA) - perspective rectifier for use with the instrument	11-6
20/10	55-2
- rectifier	26 -i
ZERO POINT OF STEREOSCOPIC EFFECT - stereoplotting of initial direction	16- 6

25X1A